



Southern Landfill Annual Monitoring Report - Water Quality Review, June 2019 to May 2022

04-Aug-2022

Southern Landfill Annual Monitoring Report - Water Quality Review, June 2019 to May 2022

Client: Wellington City Council

Co No.: N/A

Prepared by

AECOM New Zealand Limited

Level 19, 171 Featherston Street, Wellington 6011, PO Box 27277, Wellington 6141, New Zealand
T +64 4 896 6000 F +64 4 896 6001 www.aecom.com

04-Aug-2022

Job No.: 60676093

AECOM in Australia and New Zealand is certified to ISO9001, ISO14001 and ISO45001.

© AECOM New Zealand Limited (AECOM). All rights reserved.

AECOM has prepared this document for the sole use of the Client and for a specific purpose, each as expressly stated in the document. No other party should rely on this document without the prior written consent of AECOM. AECOM undertakes no duty, nor accepts any responsibility, to any third party who may rely upon or use this document. This document has been prepared based on the Client's description of its requirements and AECOM's experience, having regard to assumptions that AECOM can reasonably be expected to make in accordance with sound professional principles. AECOM may also have relied upon information provided by the Client and other third parties to prepare this document, some of which may not have been verified. Subject to the above conditions, this document may be transmitted, reproduced or disseminated only in its entirety.

Quality Information

Document Southern Landfill Annual Monitoring Report - Water Quality Review, June 2019 to May 2022

Ref 60676093

Date 04-Aug-2022

Prepared by Kate Shaskey

Reviewed by Emilie Eddington

Revision History


| Rev | Revision Date | Details | Authorised | |
|-------|---------------|---------|---|---|
| | | | Name/Position | Signature |
| Rev 1 | 04-Aug-2022 | FINAL | Emilie Eddington Associate Director - Environment |  |
| | | | | |
| | | | | |
| | | | | |

Table of Contents

| | | |
|------------|---|----|
| 1.0 | Introduction | 1 |
| 1.1 | Terms of Reference | 1 |
| 1.2 | SLF Consent Conditions 25, 26, 27 and 28 | 1 |
| 1.3 | Monitoring Locations and Bore Replacement | 2 |
| 1.4 | Data Sources | 2 |
| 1.5 | Faecal Coliform Investigations 2020 | 2 |
| 2.0 | Compliance Summary | 3 |
| 2.1 | Groundwater Monitoring | 3 |
| 2.2 | Surface Water Monitoring | 4 |
| 3.0 | Monitoring Results | 5 |
| 3.1 | Depth to Groundwater | 5 |
| 3.2 | Groundwater Analysis | 5 |
| 3.3 | Surface Water Analysis | 11 |
| 4.0 | Discussion | 13 |
| 5.0 | Limitations | 14 |
| Appendix A | | |
| | Figures | A |
| Appendix B | | |
| | Data Tables | B |
| Appendix C | | |
| | Time Series Graphs | C |
| Appendix D | | |
| | Mann-Kendall Statistical Analysis | E |

List of Tables

| | | |
|---------|---|----|
| Table 1 | Summary of Groundwater Monitoring Results against Consent Requirements | 3 |
| Table 2 | Summary of Surface Water Monitoring Results against Consent Requirements | 4 |
| Table 3 | Summary of Depth to Groundwater Measurements (June 2019 to May 2022) | 5 |
| Table 4 | Summary of Groundwater Quality Results for Bore BH2A (June 2019 through May 2022) | 7 |
| Table 5 | Summary of Groundwater Quality Results for Bore BH2B (June 2019 through May 2022) | 8 |
| Table 6 | Summary of Groundwater Quality Results for Bore BH103A (June 2019 through May 2022) | 9 |
| Table 7 | Summary of Groundwater Quality Results for Bore BH103B (June 2019 through May 2022) | 10 |
| Table 8 | Summary of Carey's Gully Surface Water Sampling Results (June 2019 to May 2022) | 12 |

1.0 Introduction

1.1 Terms of Reference

This report has been prepared for Wellington City Council (WCC) by AECOM New Zealand Limited (AECOM). It presents a summary and interpretation of surface water and groundwater monitoring results obtained by WCC at the Southern Landfill (SLF), Wellington, as required under conditions 25, 26, 27 and 28 of Resource Consent Number WGN940045 (01) (SLF consent). This report takes account of surface water and groundwater monitoring data obtained over the three year period June 2019 to May 2022 and includes a description of the following:

- when sampling events took place
- main trends in the data for each sampling event, and
- likely reasons for 'significant' changes observed in the data between monitoring events

This report forms an addendum to the 2022 Annual Monitoring report prepared by WCC for Greater Wellington Regional Council (GWRC) as required under condition 29 of the SLF consent.

1.2 SLF Consent Conditions 25, 26, 27 and 28

A summary of the requirements under SLF consent conditions 25, 26, 27 and 28 are provided below. The parameters included in the compliance monitoring are confirmed contaminants of concern for the landfill.

Condition 25:

Monthly monitoring of bores BH2A, BH2B, BH3A (subsequently replaced by BH103A) and BH3B (subsequently replaced by BH103B) and Careys Gully Stream upstream (referred to "Upstr Surface Water 1" in the SLF consent) and downstream (referred to "Dstr Surface Water 2" in the SLF consent) of the landfill for the following parameters:

- pH
- conductivity
- ammonia nitrogen (NH₄-N)
- faecal coliforms
- 5-day Biochemical Oxygen Demand (BOD₅)
- iron
- manganese

Condition 26:

Six monthly monitoring of bores BH2A, BH2B, BH3A (BH103A) and BH3B (BH103B) and Careys Gully Stream upstream (upstream) and downstream (downstream) of the landfill for the following parameters:

- chloride
- nitrate nitrogen
- aluminium
- boron
- arsenic
- copper
- lead
- zinc
- nickel
- chromium
- cadmium
- dissolved reactive phosphorous (DRP)

Condition 27:

Six monthly monitoring of Careys Gully Stream upstream (Upstr Surface Water 1) and downstream (Dstr Surface Water 2) of the landfill for the following parameters:

- freshwater macroinvertebrates
- determination of a Macroinvertebrate Community Index (MCI) value.

Condition 28:

Monthly monitoring of groundwater pressure (groundwater levels) in bores BH2A, BH2B, BH3A (BH103A), BH3B (BH103B), BH4 and BH5 (BH6).

1.3 Monitoring Locations and Bore Replacement

The monitoring locations as pictured in the SLF consent are shown by Map 1. The monitoring locations are also shown in Figures 3-1, taken from Montgomery Watson New Zealand Limited report Southern Landfill Surface and Groundwater Monitoring Report, June 2001 (MW, 2001), prepared for WCC and by Figure 1 from URS New Zealand Limited (now AECOM) (2013)¹. The monitoring locations in relation to the current landfill configuration are shown in Figure 2. All maps and figures are presented in **Appendix A**.

Upstream (Upstr Surface Water 1) and downstream (Dstr Surface Water 2) surface water sampling locations are also labelled CAREUS and CAREDS, respectively in Figure 3-1. It was reported by MW (2001) that CAREDS (new) was established in October 2000 further downstream after completion of the stormwater tunnel diversion and that it replaces the downstream (CAREDS / Dstr Surface Water 2) locations.

MW (2001) notes that bores BH4 and BH5 were destroyed by landfill development and were replaced in April 2000 by BH6, in agreement with GWRC (Figure 3-1).

In April 2013, new bores BH103A and BH103B were installed to replace the existing bores BH3A and BH3B, which were decommissioned. The installation details of these bores were reported to WCC by URS New Zealand Limited (now AECOM) in May 2013¹. As these two new bores were installed in equivalent locations and to equivalent depths as the previous bores (BH103A to 6 m and BH103B to 10 m), the consent conditions outlined above in relation to bores BH3A and BH3B were transferred to the two new bores BH103A and BH103B, respectively. Bores BH3A and BH3B were decommissioned by grouting to ground surface. As this report covers the period June 2019 to May 2022 any reference to historical bores BH3A and BH3B have been removed.

1.4 Data Sources

Surface water and groundwater monitoring data for the SLF are obtained by Eurofins Environmental Laboratory Services (ELS) under contract to WCC. This review by AECOM is based directly on the monitoring information provided to AECOM by WCC (July 2010 to June 2011) and from ELS (July 2011 to May 2022), mainly in the form of excel workbooks prepared by ELS and (previously) by WCC.

Although not a requirement under conditions 25 and 26, ELS collected samples from bore BH6 between April 2020 and May 2022. Bore BH6 could not be sampled and the water levels could not be measured between June 2019 and March 2020 as it was covered with debris and in December 2021. The results are presented in this report for comparison purposes only.

1.5 Faecal Coliform Investigations 2020

Investigations were initiated at the SLF by WCC following correspondence with GWRC in March 2020, regarding the presence of elevated counts of faecal coliforms in samples collected from "Carey's Stream", downstream of the Stage II SLF toe. These investigations were still ongoing at the conclusion of this reporting period.

¹ Southern Landfill Replacement Monitoring Bores: Bore Completion Report. Report prepared for Wellington City Council, ref 42787950, dated 23 May 2013.

2.0 Compliance Summary

2.1 Groundwater Monitoring

Compliance with SLF consent requirements for groundwater monitoring between June 2019 and May 2022 is summarised in **Table 1**. Data tables for each bore, including monitoring dates, are presented in **Appendix B**.

Table 1 Summary of Groundwater Monitoring Results against Consent Requirements

| Bore | Resource Consent Requirements | | | Compliance Summary |
|--|-------------------------------|---|-------------|--|
| | Condition | Monitoring Parameters | Frequency | |
| BH2A BH2B BH3A (BH103A) BH3B (BH103B) | 25 | <ul style="list-style-type: none"> pH Conductivity NH₄-N Faecal Coliforms BOD₅ Iron Manganese | Monthly | <ul style="list-style-type: none"> Fully compliant. Since June/July 2013 samples have been analysed monthly for chemical oxygen demand although this is not required by the consent. |
| BH2A BH2B BH3A (BH103A) BH3B (BH103B) | 26 | <ul style="list-style-type: none"> Chloride Nitrate-Nitrogen Aluminium Boron Arsenic Copper Lead Zinc Nickel Chromium Cadmium Dissolved Reactive Phosphorus | Six Monthly | <ul style="list-style-type: none"> Generally compliant. Six monthly analysis of monitoring parameters not undertaken for two events, June 2019 and December 2019. |
| BH2A BH2B BH3A (BH103A) BH3B (BH103B) BH4 BH5 (BH6) | 28 | <ul style="list-style-type: none"> Groundwater pressure | Monthly | <ul style="list-style-type: none"> Generally compliant. Groundwater gauging between June and September 2012 is recorded following the purge of the well only. From October 2012 pre-purge water levels are recorded. Bore BH6 was not gauged from June 2019 to March 2020 (bore not accessible as covered by debris from landslip), and in December 2021. |

2.2 Surface Water Monitoring

Compliance with SLF consent requirements for surface water monitoring between June 2019 and May 2022 is summarised in **Table 2**. Data tables for each sampling location, including monitoring dates, are presented in **Appendix B**.

Table 2 Summary of Surface Water Monitoring Results against Consent Requirements

| Surface Water | Resource Consent Requirements | | | Compliance Summary |
|--|-------------------------------|---|-------------|--|
| | Condition | Monitoring Parameters | Frequency | |
| Upstream (Upstr Surface Water 1) and downstream (Dstr Surface Water 2) | 25 | <ul style="list-style-type: none"> pH Conductivity NH4-N Faecal Coliforms BOD₅ Iron Manganese | Monthly | <ul style="list-style-type: none"> Fully compliant. Since June 2014 samples have been analysed monthly for chemical oxygen demand and suspended solids; although this is not required by the consent. |
| Upstream (Upstr Surface Water 1) and downstream (Dstr Surface Water 2) | 26 | <ul style="list-style-type: none"> Chloride Nitrate-Nitrogen Aluminium Boron Arsenic Copper Lead Zinc Nickel Chromium Cadmium Dissolved Reactive Phosphorus | Six Monthly | <ul style="list-style-type: none"> Generally compliant. AECOM notes that six monthly analysis of monitoring parameters not undertaken for two events, June 2019 and December 2019. Nitrate-nitrogen is being analysed on a monthly basis; although this is not required by the consent. |
| Upstream (Upstr Surface Water 1) and downstream (Dstr Surface Water 2) | 27 | <ul style="list-style-type: none"> Freshwater macro invertebrates Determination of a MCI value | Six Monthly | <ul style="list-style-type: none"> Not compliant. Four sampling events not undertaken during December 2019/January 2020, June/July 2020, June/July 2021 and December 2021/January 2022. |

3.0 Monitoring Results

3.1 Depth to Groundwater

Groundwater gauging data are presented in the data tables for each bore, included as **Appendix B**, and presented as time series graphs in **Appendix C**. Results are summarised in **Table 3**. The groundwater levels are presented as depths to groundwater and were recorded in metres below top of casing (m btoc). AECOM notes several discrepancies where the depth to groundwater exceeds the well total depth or were outside the historical ranges. These measurements were mostly taken in June and July 2021. ELS have been queried regarding these groundwater levels, however AECOM have not yet received a response as of the date of this report. Overall, no significant trends in groundwater levels were recorded.

Table 3 Summary of Depth to Groundwater Measurements (June 2019 to May 2022)

| Bore | Total depth (m below ground level) ² | Depth to Groundwater (m btoc) | | |
|--------|---|-------------------------------|---------|---|
| | | Minimum | Maximum | Outliers |
| BH2A | 4.5 | 1.4 | 2.4 | 4 (June 2021) 11 (July 2021) |
| BH2B | 11 | 1.2 | 2.4 | 11 (June 2021) 4 (July 2021) |
| BH103A | 6 | 2.8 | 4.5 | 8 (June 2021) 6 (July 2021) 0.8 (October 2021) |
| BH103B | 10 | 3.8 | 4.6 | 7.1 (January 2020) 2.8 (February 2020) 12.5 (July 2021) |
| BH6 | Unknown ³ | 0.3 | 1.8 | 4.1 (June 2020) 3 (June 2021) 8 (July 2021) 3.6 (September 2021) 3.8 (October 2021) |

3.2 Groundwater Analysis

Compliance monitoring results for bores BH2A, BH2B, BH103A and BH103B are summarised in **Table 4** through **Table 7**. Full results are presented in **Appendix B**. Time series graphs of individual constituents for each monitoring bore are presented in **Appendix C**. In summary:

- Contaminants of concern have been recorded above the laboratory limit of reporting within each of the bores over the compliance monitoring period. This would suggest that historic activities at the Carey's Gully Complex may have impacted the groundwater at the toe of the landfill.
- A comparison of water quality recorded across the bores indicates that recorded concentrations of key contaminants of concern such as ammonia nitrogen, faecal coliforms, BOD₅ and dissolved manganese are elevated in bore BH103B (and BH103A to a lesser extent).
- Based on a visual analysis of the time series graphs:
 - A potential increasing short-term trend in faecal coliform concentrations in bore BH2A was recorded over the compliance monitoring period.

² Total depth of bores BH2A and BH2B as documented in report Condition of Groundwater Monitoring Wells at Southern Landfill by URS New Zealand Limited, prepared for Wellington City Council dated, ref 42775090, 8 March 2012

³ URS (2012) notes that there is 'no log available for BH6'.

- The following parameters illustrate potentially increasing long-term trends (entire dataset), with recent concentrations generally recorded higher than historical values:
 - BH2A: faecal coliforms.
 - BH2B: manganese.
 - BH103A: pH and faecal coliforms.
 - BH103B: -
- The following parameters illustrate potentially decreasing long-term trends:
 - BH2A: nitrate-nitrogen.
 - BH2B: -
 - BH103A: conductivity, iron, chloride, nitrate-nitrogen, boron, copper and nickel.
 - BH103B: conductivity, ammonia-nitrogen, manganese, chloride, aluminium, boron and nickel.
- Faecal coliforms have been periodically recorded at all locations. A review of longer-term trends in faecal coliform concentrations (40 individual data points over the period February 2019 through May 2022) using Mann-Kendall statistical analysis indicates no trend in bore BH103B. Mann-Kendall statistical analysis indicates an increasing trend in bores BH2A, BH2B and BH103A. AECOM notes that the ELS detection limit / limit of quantification (LOQ) for the reporting of faecal coliforms increased from 1 cfu/100ml to 4 cfu/100ml in November 2021. The increasing trend at BH2B is an artifact of the increased LOQ and is not an accurate representation of site conditions. Reverting the LOQ back to 1 cfu/100ml for the purposes of the Mann-Kendall statistical analysis determined 'no trend' in faecal coliform concentrations in bore BH2B⁴. Mann-Kendall statistical analyses for faecal coliforms are presented in **Appendix D**.
- A previous review of longer-term trends in manganese concentrations (40 individual data points over the period August 2017 through November 2020) using Mann-Kendall statistical analysis indicates either no trend (in bore BH2A), stable (in bore BH2B), probably decreasing (BH103B) or decreasing trends (in bore BH103A). Mann-Kendall statistical analysis for manganese is presented in **Appendix D**.
- Ongoing investigations into faecal coliform concentrations detected in groundwater immediately downgradient of the landfill was initiated by WCC in 2020, these investigations had not concluded within this reporting period.

⁴ The Mann-Kendall statistical analysis has not been updated to reflect this.

Table 4 Summary of Groundwater Quality Results for Bore BH2A (June 2019 through May 2022)

| Parameter | Recorded Concentration | | Comment |
|-------------------------------|------------------------|---------|---|
| | Median | Maximum | |
| pH (pH units) | 6.85 | 7.8 | <ul style="list-style-type: none"> Variable concentrations recorded. |
| Conductivity at 25°C (mS/m) | 82.6 | 85 | <ul style="list-style-type: none"> Period low in May 2022. |
| Ammonia Nitrogen | 0.01 | 0.03 | <ul style="list-style-type: none"> Generally less than the method detection limit (MDL). Spike recorded – December 2019 and February 2022. |
| Boron | 0.145 | 0.18 | <ul style="list-style-type: none"> Historical high in December 2021. |
| Faecal Coliforms (cfu/100ml) | 2.5 | 240 | <ul style="list-style-type: none"> Generally close to or less than MDL before 2021. Increasingly detected above the MDL since April 2021 (increasing trend noted). Spike recorded – June 2021, September 2021 and May 2022. |
| BOD ₅ – Total | 1 | 6 | <ul style="list-style-type: none"> Generally less than the MDL. Spike recorded – June 2019, November 2019 and May 2022. |
| Manganese - Dissolved | 0.0099 | 0.344 | <ul style="list-style-type: none"> Spike recorded – April 2020 and December 2021. |
| Chloride | 92.35 | 85 | <ul style="list-style-type: none"> Historical high in December 2021. |
| Nitrate – Nitrogen | 1.73 | 1.93 | <ul style="list-style-type: none"> Decreasing trend. Historical low in December 2021. |
| Aluminium – Dissolved | 0.002 | 0.005 | <ul style="list-style-type: none"> Generally close to or less than the MDL. |
| Copper - Dissolved | 0.0005 | 0.0018 | <ul style="list-style-type: none"> Spike recorded – December 2021. |
| Zinc - Dissolved | 0.002 | 0.002 | <ul style="list-style-type: none"> Generally less than MDL. |
| Nickel - Dissolved | 0.00095 | 0.0023 | <ul style="list-style-type: none"> Historical high in December 2021. |
| Dissolved Reactive Phosphorus | 0.016 | 0.016 | <ul style="list-style-type: none"> Period low in December 2020. |

Note: All values g/m³ unless otherwise noted; mS/m – milli siemens per metre, cfu/100ml – colony forming units per 100 millilitres. The following parameters have been removed from the table as recorded concentrations were generally below the MDL over the monitoring period and/or no significant change/trends in contaminant concentrations were recorded – iron (dissolved), arsenic (dissolved), cadmium (dissolved), chromium (dissolved) and lead (dissolved).

Table 5 Summary of Groundwater Quality Results for Bore BH2B (June 2019 through May 2022)

| Parameter | Recorded Concentration | | Comment |
|------------------------------|------------------------|---------|---|
| | Median | Maximum | |
| pH (pH units) | 6.85 | 7.6 | <ul style="list-style-type: none"> Period high in February 2020. |
| Conductivity at 25°C (mS/m) | 102 | 109 | <ul style="list-style-type: none"> Period low in January 2020. |
| Ammonia Nitrogen | 0.01 | 0.15 | <ul style="list-style-type: none"> Generally less than MDL. Spike recorded – January and April 2020. |
| Faecal Coliforms (cfu/100ml) | 1 | 240 | <ul style="list-style-type: none"> Generally less than the MDL. Spike recorded – December 2021. |
| BOD ₅ – Total | 1 | 6 | <ul style="list-style-type: none"> Generally less than MDL. Spike recorded – June 2019, November 2019, April and May 2022 |
| Iron – Dissolved | 0.01 | 0.71 | <ul style="list-style-type: none"> Generally less than MDL. Spike identified – January, April and November 2020. |
| Manganese - Dissolved | 0.2455 | 0.473 | <ul style="list-style-type: none"> Slight overall increasing trend. |
| Chloride | 105 | 110 | <ul style="list-style-type: none"> Stable concentrations recorded over this reporting period. |
| Nitrate-Nitrogen | 1.035 | 2.02 | <ul style="list-style-type: none"> Period high in December 2021. |
| Boron | 0.19 | 0.19 | <ul style="list-style-type: none"> Period low in December 2021. |
| Copper - Dissolved | 0.00055 | 0.0008 | <ul style="list-style-type: none"> Period high in December 2021. |
| Zinc - Dissolved | 0.002 | 0.002 | <ul style="list-style-type: none"> Generally less than MDL. |
| Nickel - Dissolved | 0.0016 | 0.0017 | <ul style="list-style-type: none"> Period low in December 2021. |

Note: All values g/m³ unless otherwise noted; mS/m – milli siemens per metre, cfu/100ml – colony forming units per 100 millilitres. The following parameters have been removed from the table as recorded concentrations were generally below the MDL over the monitoring period and/or no significant change/trends in contaminant concentrations were recorded – aluminium (dissolved), arsenic (dissolved), cadmium (dissolved), chromium (dissolved), dissolved reactive phosphorus and lead (dissolved).

Table 6 Summary of Groundwater Quality Results for Bore BH103A (June 2019 through May 2022)

| Parameter | Recorded Concentration | | Comment |
|-------------------------------|------------------------|---------|---|
| | Median | Maximum | |
| pH (pH units) | 6.9 | 7.8 | <ul style="list-style-type: none"> Spike recorded – July 2019 and March 2022. Slight increasing trend. |
| Conductivity at 25°C (mS/m) | 19.2 | 91.4 | <ul style="list-style-type: none"> Decreasing trend. Historically low values generally recorded from January 2020. |
| Ammonia Nitrogen | 0.01 | 0.54 | <ul style="list-style-type: none"> Generally less than the MDL. Spike recorded – November 2019 and July 2020. |
| Faecal Coliforms (cfu/100ml) | 7 | 350 | <ul style="list-style-type: none"> Increasing trend. Spike recorded – July 2021, October 2021, April 2022 and May 2022. |
| BOD ₅ – Total | 1 | 6 | <ul style="list-style-type: none"> Generally less than the MDL. |
| Manganese - Dissolved | 0.00265 | 1.8 | <ul style="list-style-type: none"> Spike recorded – November 2019 and July 2020. |
| Chloride | 19.2 | 20.4 | <ul style="list-style-type: none"> Decreasing trend. Historical lows since June 2020. |
| Nitrate – Nitrogen | 0.58 | 1.51 | <ul style="list-style-type: none"> Decreasing trend. Variable concentrations recorded. |
| Boron - Dissolved | 0.03 | 0.04 | <ul style="list-style-type: none"> Decreasing trend. Historical low since June 2020. |
| Copper - Dissolved | 0.0006 | 0.0008 | <ul style="list-style-type: none"> Decreasing trend. |
| Nickel - Dissolved | 0.0005 | 0.0005 | <ul style="list-style-type: none"> Generally less than MDL. Slight decreasing trend. Historical low since June 2020. |
| Dissolved Reactive Phosphorus | 0.042 | 0.045 | <ul style="list-style-type: none"> Stable over this reporting period. |

Note: All values g/m³ unless otherwise noted; mS/m – milli siemens per metre, cfu/100ml – colony forming units per 100 millilitres. The following parameters have been removed from the table as recorded concentrations were generally below the MDL over the monitoring period and/or no significant change/trends in contaminant concentrations were recorded – iron (dissolved), aluminium (dissolved), arsenic (dissolved), cadmium (dissolved), chromium (dissolved), lead (dissolved) and zinc (dissolved).

Table 7 Summary of Groundwater Quality Results for Bore BH103B (June 2019 through May 2022)

| Parameter | Recorded Concentration | | Comment |
|-------------------------------|------------------------|---------|---|
| | Median | Maximum | |
| pH (pH units) | 6.7 | 7.7 | <ul style="list-style-type: none"> Spike recorded – July 2019 and March 2022. |
| Conductivity at 25°C (mS/m) | 81.7 | 169 | <ul style="list-style-type: none"> Variable concentrations recorded Slight decreasing trend. |
| Ammonia Nitrogen | 0.725 | 2.68 | <ul style="list-style-type: none"> Variable concentrations recorded. Slight decreasing trend. |
| Faecal Coliforms (cfu/100ml) | 7.5 | 400 | <ul style="list-style-type: none"> Variable concentrations recorded. |
| BOD ₅ – Total | 1 | 6 | <ul style="list-style-type: none"> Variable concentrations recorded. |
| Manganese – Dissolved | 2.875 | 11.4 | <ul style="list-style-type: none"> Variable concentrations recorded. Decreasing trend. |
| Chloride | 74.4 | 121 | <ul style="list-style-type: none"> Variable concentrations recorded. Slight decreasing trend since December 2017. Historical low in December 2021. |
| Nitrate – Nitrogen | 0.14 | 0.44 | <ul style="list-style-type: none"> Variable concentrations recorded. |
| Boron - Dissolved | 0.2 | 0.31 | <ul style="list-style-type: none"> Variable concentrations recorded. Slight decreasing trend since June 2020. Historical low in December 2021. |
| Arsenic - Dissolved | 0.001 | 0.001 | <ul style="list-style-type: none"> Low concentrations recorded compared to previous reporting period. |
| Copper - Dissolved | 0.00515 | 0.087 | <ul style="list-style-type: none"> Spike recorded – June 2021. |
| Zinc - Dissolved | 0.006 | 0.022 | <ul style="list-style-type: none"> Variable concentrations recorded. |
| Nickel - Dissolved | 0.00175 | 0.0034 | <ul style="list-style-type: none"> Variable concentrations recorded. Decreasing trend. Historical low in December 2021. |
| Dissolved Reactive Phosphorus | 0.018 | 0.035 | <ul style="list-style-type: none"> Variable concentrations recorded. |

Note: All values g/m³ unless otherwise noted; mS/m – milli siemens per metre, cfu/100ml – colony forming units per 100 millilitres. The following parameters have been removed from the table as recorded concentrations were generally below the MDL over the monitoring period and/or no significant change/trends in contaminant concentrations were recorded – iron (dissolved), aluminium (dissolved), cadmium (dissolved), chromium (dissolved) and lead (dissolved).

3.3 Surface Water Analysis

Compliance monitoring results for surface water samples are presented in **Table 8**. Full results are presented in **Appendix B**. Time series graphs of individual constituents for the upstream and downstream monitoring locations of Carey's Stream are presented in **Appendix C**. In summary:

- When comparing analytical results for the upstream and downstream monitoring location, contaminants of concern have generally been recorded at higher concentrations in the downstream monitoring location.
- Recorded concentrations were variable across the reporting period. Based on a visual analysis of the time series graphs, general increasing trends in contaminant concentrations were recorded for ammonia nitrogen and nitrate-nitrogen in the downstream monitoring location.
- Faecal coliforms have been regularly recorded within both upstream and downstream locations. Elevated concentrations were recorded in the downstream monitoring location in July 2021, September 2021, December 2021 and March 2022. Elevated concentrations were recorded in the upstream monitoring location in February 2020. A review of longer-term trends in faecal coliform concentrations (40 individual data points over the period February 2019 through May 2022) using Mann-Kendall statistical analysis indicates no trend in contaminant concentrations in the upstream and downstream monitoring locations. Mann-Kendall statistical analysis for faecal coliforms are presented in **Appendix D**.
- Ongoing investigations into the variable faecal coliform concentrations over time in the downstream monitoring location have been initiated by WCC, these investigations had not concluded within this reporting period.
- A review of longer-term trends in manganese concentrations (40 individual data points over the period August 2017 through November 2020) using Mann-Kendall statistical analysis indicates either no trend (the upstream monitoring location) or stable (in the downstream monitoring location). Mann-Kendall statistical analysis for manganese is presented in **Appendix D**.
- Based on the median MCI values recorded for upstream and downstream of the landfill the quality of the stream would be categorised as "fair"⁵.

⁵ Stark and Maxted (2007) provide the following interpretation of New Zealand MCI results: "excellent – clean water" >120, "good - doubtful quality or possible mild pollution" 100-119, "fair - probable moderate pollution" 80-99, "poor - probable severe pollution" <80. Based on the median.

Table 8 Summary of Carey's Gully Surface Water Sampling Results (June 2019 to May 2022)

| Parameter | Upstream Concentrations | | Downstream Concentrations | |
|-------------------------------|-------------------------|---------|---------------------------|---------|
| | Median | Maximum | Median | Maximum |
| pH (pH units) | 7.7 | 7.9 | 7.7 | 8.0 |
| Conductivity at 25°C (mS/m) | 23.5 | 26.2 | 38.3 | 86.7 |
| Ammonia – Nitrogen | 0.01 | 0.3 | 0.685 | 3.7 |
| Faecal Coliforms (cfu/100ml) | 96 | 2,900 | 98 | 2,200 |
| BOD ₅ – Total | 1 | 6 | 3 | 8 |
| Iron – Acid Soluble | 0.01 | 0.08 | 0.1 | 0.36 |
| Manganese - Acid Soluble | 0.0012 | 0.0459 | 0.3165 | 0.977 |
| Chloride | 37.95 | 40 | 42.1 | 45.2 |
| Nitrate – Nitrogen | 0.265 | 0.38 | 1.08 | 3.25 |
| Aluminium - Acid Soluble | 0.0145 | 0.022 | 0.015 | 0.017 |
| Boron - Acid Soluble | 0.035 | 0.04 | 0.05 | 0.06 |
| Arsenic - Acid Soluble | 0.001 | 0.001 | 0.001 | 0.001 |
| Copper - Acid Soluble | 0.0005 | 0.0005 | 0.0005 | 0.0005 |
| Lead - Acid Soluble | 0.0005 | 0.0005 | 0.0005 | 0.0005 |
| Zinc - Acid Soluble | 0.002 | 0.002 | 0.002 | 0.003 |
| Nickel - Acid Soluble | 0.0005 | 0.0005 | 0.0005 | 0.0005 |
| Chromium - Acid Soluble | 0.001 | 0.001 | 0.001 | 0.001 |
| Cadmium - Acid Soluble | 0.0002 | 0.0002 | 0.0002 | 0.0002 |
| Dissolved Reactive Phosphorus | 0.0095 | 0.014 | 0.0085 | 0.01 |
| MCI | 98 | 103 | 98 | 104 |

Note: All values g/m³ unless otherwise noted; mS/m – milli siemens per metre, cfu – colony forming units per 100 millilitres. MCI – Macroinvertebrate Community Index;

4.0 Discussion

Compliance monitoring was completed in general accordance with resource consent requirements over the period June 2019 through May 2022. However, AECOM notes that:

- Two six monthly sampling rounds were not undertaken as per condition 26, and samples were not collected and analysed for the additional compliance parameters during the months of June 2019 and December 2019. AECOM understands that WCC has had discussions with ELS regarding the six-monthly sampling events and that ELS have since resumed six monthly sampling and analysis from June 2020.
- Four six monthly macroinvertebrate sampling events were not undertaken during December 2019/January 2020, June/July 2020, June/July 2021 and December 2021/January 2022.
- BH6 was not gauged for depth to water between June 2019 and March 2020 due to debris covering the well and in December 2021 (no reason provided by ELS).

ELS measured depth to groundwater between 0.3 to 12.5 m throughout the compliance monitoring period. AECOM notes that groundwater levels recorded across all groundwater bores over this monitoring period were at times inconsistent with historical records. ELS have been queried regarding these groundwater levels, however AECOM have not yet received a response as of the date of this report.

Based on recorded concentrations of key contaminants of concern such as ammonia nitrogen, BOD₅ and faecal coliforms in bore BH103B (and to a lesser extent bore BH103A), as well as the downstream surface water monitoring location; there is evidence to suggest that historic and current activities at the Carey's Gully Complex may be impacting groundwater and the stream at the toe of the landfill. However, it is important to note that no exceedances of the ANZG for the protection of 95% of freshwater species were recorded in the downstream monitoring location.

WCC are undertaking additional faecal coliform sampling in parallel with the review of potential sources of the impact in the upstream and downstream surface water sample locations. The results of these investigations were still ongoing at the conclusion of this reporting period.

5.0 Limitations

This conclusion and all information in this Report are provided strictly in accordance with and subject to the following limitations and recommendations:


- a. This Report should be read in full and no excerpts are to be taken as representative of the findings. No responsibility is accepted by AECOM for use of any part of this Report in any other context.
- b. This conclusion is based solely on the information and findings contained in this Report.
- c. This conclusion is based solely on the scope of work agreed between AECOM and Wellington City Council and described in section 1 ("Introduction") of this Report. Specifically, no soil sampling or drilling / excavation activity has been undertaken by AECOM as part of the investigations referred to in this Report.
- d. This Report has been prepared for the sole benefit of Wellington City Council and neither the whole nor any part of this Report may be used or relied upon by any party other than Wellington City Council.
- e. This Report is dated 4 August 2022 and is based on the information reviewed from June 2019 to May 2022. AECOM accepts no responsibility for any events arising from any changes in site conditions or in the information reviewed that have occurred after the completion of the site monitoring.
- f. The investigations carried out for the purposes of the Report have been undertaken, and the Report has been prepared, in accordance with normal prudent practice and by reference to applicable environmental regulatory authority and industry standards, guidelines and assessment criteria in existence at the date of this Report.
- g. Where this Report indicates that information has been provided to AECOM by third parties, AECOM has made no independent verification of this information except as expressly stated in the Report. AECOM assumes no liability for any inaccuracies in or omissions to that information.
- h. Except as specifically stated above, AECOM makes no warranty, statement or representation of any kind concerning the suitability of the site for any purpose or the permissibility of any use, development or re-development of the site.
- i. Use, development or re-development of the site for any purpose may require planning and other approvals and, in some cases, environmental regulatory authority and accredited site auditor approvals. AECOM offers no opinion as to whether the current use has any or all approvals required, is operating in accordance with any approvals, the likelihood of obtaining any approvals for development or redevelopment of the site, or the conditions and obligations which such approvals may impose, which may include the requirement for additional environmental works.
- j. AECOM makes no determination or recommendation regarding a decision to provide or not to provide financing with respect to the site.
- k. Except as required by law, no third party may use or rely on, this Report unless otherwise agreed by AECOM in writing. Where such agreement is provided, AECOM will provide a letter of reliance to the agreed third party in the form required by AECOM.
- l. To the extent permitted by law, AECOM expressly disclaims and excludes liability for any loss, damage, cost or expenses suffered by any third party relating to or resulting from the use of, or reliance on, any information contained in this Report. AECOM does not admit that any action, liability or claim may exist or be available to any third party.

Appendix A

Figures

Appendix A Figures

Map 1



MW 2001 Figure 3-1 Location of surface water and groundwater monitoring sites




Figure 1 Wellington City Council Southern Landfill – Monitoring Well Location Plan



CLIENT



CONSULTANT

AECOM New Zealand Limited
 www.aecom.com

SPATIAL REFERENCE

Scale: 1:4,000 (A3 size)
 40 20 0 40 80 120 160
 m

Map features depicted in terms of NZTM 2000 projection.
 Data Sources:
 Celestial Boundaries – LINZ NZ Cadastral Dataset

PROJECT MANAGEMENT

| | | | |
|----------|----|------|------------|
| Approved | KS | Date | 03/08/2020 |
| Checked | KS | Date | 28/07/2020 |
| Designed | SS | Date | 28/07/2020 |
| Drawn | SS | Date | 28/07/2020 |

ISSUE/REVISION

| Rev | Date | Description |
|-----|------------|-------------|
| A | 03/08/2020 | FINAL |

KEY PLAN



PROJECT NUMBER

60676093

SHEET TITLE

SAMPLE LOCATION PLAN

MAP NUMBER

FIGURE 2



LEGEND

- Groundwater Monitoring Well Location
- Carey's Stream Surface Water Sampling Location

Appendix B

Data Tables

Appendix B Data Tables

| Condition | Measure | 13/06/2019 | 29/07/2019 | 30/08/2019 | 24/09/2019 | 25/10/2019 | 8/11/2019 | 19/12/2019 | 29/01/2020 | 28/02/2020 | 27/03/2020 | 17/04/2020 | 21/05/2020 |
|-----------|-------------------------------|------------|------------|------------|------------|------------|-----------|------------|------------|------------|------------|------------|------------|
| 26 | Aluminium - Dissolved | | | | | | | | | | | | |
| 25 | Ammonia Nitrogen | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.03 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| 26 | Arsenic - Dissolved | | | | | | | | | | | | |
| 25 | BOD ₅ - Total | 6 | 1 | 1 | 1 | 1 | 6 | 1 | 1 | 1 | 1 | 1 | 1 |
| 26 | Boron - Dissolved | | | | | | | | | | | | |
| 26 | Cadmium - Dissolved | 15 | 28 | 15 | 132 | 15 | 15 | 69 | 29 | 15 | 15 | 15 | 15 |
| 26 | Chemical Oxygen Demand | | | | | | | | | | | | |
| 26 | Chloride | | | | | | | | | | | | |
| 26 | Chromium - Dissolved | | | | | | | | | | | | |
| Other | Comments | | | | | | | | | | | | |
| 25 | Conductivity at 25°C | 85 | 84.2 | 84.6 | 84.4 | 84.7 | 84.2 | 84.4 | 82.6 | 84.8 | 83.8 | 83.4 | 82.5 |
| 26 | Copper - Dissolved | | | | | | | | | | | | |
| 26 | Dissolved Reactive Phosphorus | | | | | | | | | | | | |
| 25 | Faecal Coliforms | 1 | 1 | 1 | 1 | 1 | 1 | 4 | 1 | 1 | 1 | 110 | 1 |
| 25 | Iron - Dissolved | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.02 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| 26 | Lead - Dissolved | | | | | | | | | | | | |
| 26 | Manganese - Dissolved | 0.0085 | 0.0065 | 0.0093 | 0.0058 | 0.0081 | 0.0108 | 0.0322 | 0.0081 | 0.0097 | 0.0137 | 0.0884 | 0.0135 |
| 26 | Nickel - Dissolved | | | | | | | | | | | | |
| 26 | Nitrate - Nitrogen | 7 | 6.9 | 6.9 | 7.8 | 7.2 | 7 | 7.1 | 7.4 | 7.4 | 6.7 | 6.8 | 6.7 |
| 25 | pH | 1.5 | 1.8 | 1.6 | 2 | 1.5 | 2.2 | 2.1 | 2 | 1.8 | 2.4 | 2 | 1.8 |
| Other | Water Level of Bore | No Rain | No Rain | No Rain | Some Rain | Some Rain | No Rain | Some Rain | Some Rain | No Rain | Some Rain | Some Rain | No Rain |
| Other | Weather - 24 hr | | | | | | | | | | | | |
| 26 | Zinc - Dissolved | 0.002 | | | | | | 0.002 | | | | | |

| Condition | Measure | 26/06/2020 | 30/07/2020 | 27/08/2020 | 28/09/2020 | 21/10/2020 | 26/11/2020 | 18/12/2020 | 20/01/2021 | 18/02/2021 | 18/03/2021 | 29/04/2021 | 28/05/2021 |
|-----------|-------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 26 | Aluminium - Dissolved | 0.005 | | | | | | | | | | | |
| 25 | Ammonia Nitrogen | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.002 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| 26 | Arsenic - Dissolved | 0.001 | 1 | 1 | 1 | 1 | 1 | 0.001 | 1 | 1 | 1 | 1 | 1 |
| 25 | BOD ₅ - Total | 0.14 | | | | | | 0.15 | | | | | |
| 26 | Boron - Dissolved | 0.0002 | | | | | | 0.0002 | | | | | |
| 26 | Cadmium - Dissolved | 19 | 68 | 15 | 56 | 24 | 32 | 18 | 38 | 15 | 19 | 21 | 15 |
| 26 | Chemical Oxygen Demand | 91.8 | | | | | | 92.9 | | | | | |
| 26 | Chloride | 0.001 | | | | | | 0.001 | | | | | |
| Other | Comments | | | | | | | | | | | | |
| 25 | Conductivity at 25°C | 81.4 | 82.2 | 81.6 | 82.1 | 82 | 81.2 | 82.4 | 82.5 | 82.8 | 82.7 | 81.5 | 81.7 |
| 26 | Copper - Dissolved | 0.0005 | | | | | | 0.0005 | | | | | |
| 26 | Dissolved Reactive Phosphorus | 0.016 | | | | | | 0.01 | | | | | |
| 25 | Faecal Coliforms | 1 | 1 | 1 | 1 | 2 | 3 | 1 | 7 | 1 | 1 | 33 | 5 |
| 25 | Iron - Dissolved | 0.0005 | 0.01 | 0.01 | 0.02 | 0.01 | 0.01 | 0.0005 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| 26 | Lead - Dissolved | | | | | | | | | | | | |
| 25 | Manganese - Dissolved | 0.0184 | 0.0098 | 0.0087 | 0.0167 | 0.0081 | 0.01 | 0.0081 | 0.0106 | 0.0102 | 0.0127 | 0.0124 | 0.0122 |
| 26 | Nickel - Dissolved | 0.001 | | | | | | 0.0008 | | | | | |
| 26 | Nitrate - Nitrogen | 1.93 | 7 | 6.7 | 6.8 | 6.7 | 6.6 | 1.77 | 6.7 | 6.7 | 7 | 6.7 | 6.9 |
| 25 | pH | 6.8 | 1.6 | 1.9 | 1.7 | 1.8 | 1.4 | 1.7 | 1.8 | 1.7 | 1.9 | 1.4 | 1.8 |
| Other | Water Level of Bore | No Rain | No Rain | Some Rain | Much Rain | Some Rain | Much Rain | No Rain | Some Rain | No Rain | No Rain | No Rain | No Rain |
| Other | Weather - 24 hr | | | | | | | | | | | | |
| 26 | Zinc - Dissolved | 0.002 | | | | | | 0.002 | | | | | |

| Condition | Measure | 29/06/2021 | 29/07/2021 | 27/08/2021 | 28/09/2021 | 27/10/2021 | 25/11/2021 | 23/12/2021 | 27/01/2022 | 25/02/2022 | 25/03/2022 | 27/04/2022 | 31/05/2022 |
|-----------|-------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 26 | Aluminium - Dissolved | 0.002 | | | | | | | | | | | |
| 25 | Ammonia Nitrogen | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.002 | 0.01 | 0.02 | 0.01 | 0.01 | 0.01 |
| 26 | Arsenic - Dissolved | 0.001 | 1 | 1 | 1 | 1 | 1 | 0.001 | 1 | 1 | 1 | 3 | 6 |
| 25 | BOD ₅ - Total | 1 | | | | | | 0.18 | | | | | |
| 26 | Boron - Dissolved | 0.14 | | | | | | 0.0002 | | | | | |
| 26 | Cadmium - Dissolved | 15 | 15 | 26 | 25 | 15 | 15 | 25 | 15 | 15 | 15 | 22 | 53 |
| 26 | Chemical Oxygen Demand | 89.2 | | | | | | 110 | | | | | |
| 26 | Chloride | 0.001 | | | | | | 0.001 | | | | | |
| Other | Comments | | | | 18l. Flush | Clear | | | | | | | |
| 25 | Conductivity at 25°C | 81.5 | 81.3 | 81.8 | 79.9 | 82.6 | 83.4 | 82.7 | 83.3 | 82.0 | 84.2 | 83.4 | 77 |
| 26 | Copper - Dissolved | 0.0005 | | | | | | 0.0018 | | | | | |
| 26 | Dissolved Reactive Phosphorus | 0.016 | 67 | 16 | 200 | 66 | 4 | 0.016 | 130 | 160 | 28 | 12 | 240 |
| 25 | Faecal Coliforms | 200 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 4 | 0.01 | 0.02 | 0.01 | 0.01 | 0.01 |
| 25 | Iron - Dissolved | 0.0005 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.0005 | 0.0138 | 0.0087 | 0.0115 | 0.0165 | 0.0084 |
| 26 | Lead - Dissolved | | | | | | | | | | | | |
| 25 | Manganese - Dissolved | 0.0053 | 0.0052 | 0.0103 | 0.0042 | 0.007 | 0.0089 | 0.0023 | 0.0138 | 0.0087 | 0.0115 | 0.0165 | 0.0084 |
| 26 | Nickel - Dissolved | 0.0009 | | | | | | 0.0023 | | | | | |
| 26 | Nitrate - Nitrogen | 1.69 | 6.7 | 6.8 | 6.7 | 7.1 | 6.7 | 0.76 | 7.1 | 7.0 | 6.8 | 7.1 | 6.7 |
| 25 | pH | 4 | 11 | 1.7 | 1.5 | 1.8 | 1.9 | 1.8 | 1.8 | 1.7 | 1.8 | 1.8 | 1.5 |
| Other | Water Level of Bore | No Rain | No Rain | Some Rain | Some Rain | No Rain | Clear | Clear | Light Rain | Clear | No Rain | Clear | Showers |
| Other | Weather - 24 hr | | | | | | | | | | | | |
| 26 | Zinc - Dissolved | 0.002 | | | | | | 0.002 | | | | | |

Notes: Values in red were reported below the detection limit.

SOUTHERN LANDFILL - BH2B MONITORING RESULTS

| Condition | Description | Measure | 13/06/2019 | 29/07/2019 | 30/08/2019 | 24/09/2019 | 25/10/2019 | 8/11/2019 | 19/12/2019 | 29/01/2020 | 28/02/2020 | 27/03/2020 | 17/04/2020 | 21/05/2020 |
|-----------|-------------------------------|------------------|------------|------------|------------|------------|------------|-----------|------------|------------|------------|------------|------------|------------|
| 26 | Aluminium - Dissolved | g/m ³ | | | | | | | 0.01 | 0.15 | 0.01 | 0.01 | 0.11 | 0.01 |
| 25 | Ammonia Nitrogen | g/m ³ | | | | | | 0.01 | 0.01 | | | | | |
| 25 | Arsenic - Dissolved | g/m ³ | | | | | | 6 | 1 | 1 | 1 | 1 | 1 | 1 |
| 25 | BOD ₅ - Total | g/m ³ | | | | | | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 26 | Boron - Dissolved | g/m ³ | | | | | | | | | | | | |
| 26 | Cadmium - Dissolved | g/m ³ | | | | | | | | | | | | |
| Other | Chemical Oxygen Demand | g/m ³ | 15 | 26 | 15 | 15 | 15 | 15 | 56 | 33 | 15 | 15 | 44 | 15 |
| 26 | Chloride | g/m ³ | | | | | | | | | | | | |
| 26 | Chromium - Dissolved | g/m ³ | | | | | | | | | | | | |
| Other | Comments | | | | | | | | | | | | | |
| 25 | Conductivity at 25°C | mS/m | 103 | 103 | 102 | 102 | 102 | 107 | 106 | 61.4 | 108 | 101 | 101 | 104 |
| 26 | Copper - Dissolved | g/m ³ | | | | | | | | | | | | |
| 26 | Dissolved Reactive Phosphorus | g/m ³ | | | | | | | | | | | | |
| 26 | Faecal Coliforms | ctu/100ml | 1 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 6 | 1 |
| 25 | Iron - Dissolved | g/m ³ | 0.01 | 0.01 | 0.01 | 0.02 | 0.01 | 0.01 | 0.02 | 0.17 | 0.02 | 0.01 | 0.71 | 0.01 |
| 25 | Lead - Dissolved | g/m ³ | | | | | | | | | | | | |
| 25 | Manganese - Dissolved | g/m ³ | 0.231 | 0.251 | 0.224 | 0.224 | 0.243 | 0.341 | 0.473 | 0.403 | 0.37 | 0.262 | 0.302 | 0.309 |
| 26 | Nickel - Dissolved | g/m ³ | | | | | | | | | | | | |
| 26 | Nitrate - Nitrogen | g/m ³ | 7.2 | 6.9 | 7.3 | 7.3 | 7.1 | 6.9 | 7.1 | 6.9 | 7.6 | 7.3 | 6.7 | 6.6 |
| 25 | pH | Metres | 1.4 | 1.5 | 1.5 | 1.5 | 2.4 | 2.2 | 2.3 | 2.3 | 1.7 | 2.3 | 1.8 | 1.3 |
| Other | Weather - 24 hr | | No Rain | No Rain | No Rain | Some Rain | Some Rain | No Rain | No Rain | Some Rain | No Rain | Some Rain | Some Rain | No Rain |
| 26 | Zinc - Dissolved | g/m ³ | | | | | | | | | | | | |

| Condition | Description | Measure | 26/06/2020 | 30/07/2020 | 27/08/2020 | 28/09/2020 | 21/10/2020 | 26/11/2020 | 18/12/2020 | 20/01/2021 | 18/02/2021 | 18/03/2021 | 29/04/2021 | 28/05/2021 |
|-----------|-------------------------------|------------------|------------|------------|------------|------------|------------|------------|--------------------------|------------|------------|------------|------------|------------|
| 26 | Aluminium - Dissolved | g/m ³ | 0.002 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.002 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| 25 | Ammonia Nitrogen | g/m ³ | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| 26 | Arsenic - Dissolved | g/m ³ | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| 25 | BOD ₅ - Total | g/m ³ | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 26 | Boron - Dissolved | g/m ³ | 0.19 | 0.19 | 0.19 | 0.19 | 0.19 | 0.19 | 0.19 | 0.19 | 0.19 | 0.19 | 0.19 | 0.19 |
| Other | Chemical Oxygen Demand | g/m ³ | 18 | 15 | 15 | 15 | 15 | 35 | 105 | 15 | 15 | 16 | 26 | 21 |
| 26 | Chloride | g/m ³ | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 | 105 |
| 26 | Chromium - Dissolved | g/m ³ | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| Other | Comments | | | | | | | | Some sediment post-flush | | | | | |
| 25 | Conductivity at 25°C | mS/m | 100 | 99.2 | 102 | 97.4 | 101 | 99.1 | 100 | 99.9 | 98.9 | 106 | 99.6 | 98.7 |
| 26 | Copper - Dissolved | g/m ³ | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 |
| 26 | Dissolved Reactive Phosphorus | g/m ³ | 0.014 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.013 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| 25 | Faecal Coliforms | ctu/100ml | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 25 | Iron - Dissolved | g/m ³ | 0.0005 | 0.001 | 0.01 | 0.01 | 0.01 | 0.33 | 0.0005 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| 26 | Lead - Dissolved | g/m ³ | | | | | | | | | | | | |
| 25 | Manganese - Dissolved | g/m ³ | 0.238 | 0.208 | 0.308 | 0.228 | 0.248 | 0.222 | 0.21 | 0.242 | 0.222 | 0.335 | 0.231 | 0.231 |
| 26 | Nickel - Dissolved | g/m ³ | 0.0017 | 0.0017 | 0.0017 | 0.0017 | 0.0017 | 0.0017 | 0.0015 | 0.0015 | 0.0015 | 0.0015 | 0.0015 | 0.0015 |
| 26 | Nitrate - Nitrogen | g/m ³ | 1.03 | 7.2 | 6.7 | 6.6 | 6.7 | 6.6 | 1.03 | 6.7 | 6.7 | 7 | 6.7 | 6.8 |
| 25 | pH | Metres | 6.8 | 2.1 | 1.7 | 1.6 | 1.5 | 1.8 | 1.4 | 1.4 | 1.5 | 1.7 | 1.8 | 1.5 |
| Other | Weather - 24 hr | | | | | | | | | | | | | |
| 26 | Zinc - Dissolved | g/m ³ | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 |

| Condition | Description | Measure | 29/06/2021 | 29/07/2021 | 27/08/2021 | 28/09/2021 | 27/10/2021 | 25/11/2021 | 23/12/2021 | 27/01/2022 | 25/02/2022 | 25/03/2022 | 27/04/2022 | 31/05/2022 |
|-----------|-------------------------------|------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 26 | Aluminium - Dissolved | g/m ³ | 0.002 | 0.02 | 0.01 | 0.01 | 0.01 | 0.01 | 0.002 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| 25 | Ammonia Nitrogen | g/m ³ | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| 26 | Arsenic - Dissolved | g/m ³ | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| 25 | BOD ₅ - Total | g/m ³ | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 3 |
| 26 | Boron - Dissolved | g/m ³ | 0.19 | 0.19 | 0.19 | 0.19 | 0.19 | 0.19 | 0.13 | 0.13 | 0.13 | 0.13 | 0.13 | 0.13 |
| Other | Chemical Oxygen Demand | g/m ³ | 15 | 15 | 27 | 18 | 15 | 17 | 32 | 31 | 28 | 20 | 19 | 15 |
| 26 | Chloride | g/m ³ | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 | 99.9 |
| 26 | Chromium - Dissolved | g/m ³ | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| Other | Comments | | | | | | | | | | | | | |
| 25 | Conductivity at 25°C | mS/m | 98 | 98.5 | 104 | 97.1 | 99 | 108 | 107 | 109 | 101 | 105 | 101 | 96.4 |
| 26 | Copper - Dissolved | g/m ³ | 0.0006 | 0.0006 | 0.0006 | 0.0006 | 0.0006 | 0.0006 | 0.0008 | 0.0008 | 0.0008 | 0.0008 | 0.0008 | 0.0008 |
| 26 | Dissolved Reactive Phosphorus | g/m ³ | 0.012 | 0.012 | 0.012 | 0.012 | 0.012 | 0.012 | 0.012 | 0.012 | 0.012 | 0.012 | 0.012 | 0.012 |
| 25 | Faecal Coliforms | ctu/100ml | 1 | 10 | 1 | 1 | 1 | 8 | 240 | 4 | 4 | 4 | 4 | 4 |
| 25 | Iron - Dissolved | g/m ³ | 0.02 | 0.01 | 0.01 | 0.02 | 0.04 | 0.01 | 0.0005 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| 26 | Lead - Dissolved | g/m ³ | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 |
| 25 | Manganese - Dissolved | g/m ³ | 0.252 | 0.221 | 0.295 | 0.222 | 0.21 | 0.328 | 0.0307 | 0.395 | 0.239 | 0.340 | 0.300 | 0.0026 |
| 26 | Nickel - Dissolved | g/m ³ | 0.0017 | 0.0017 | 0.0017 | 0.0017 | 0.0017 | 0.0017 | 0.0017 | 0.0017 | 0.0017 | 0.0017 | 0.0017 | 0.0017 |
| 26 | Nitrate - Nitrogen | g/m ³ | 1.04 | 6.7 | 6.7 | 6.9 | 7.1 | 6.7 | 6.7 | 7.1 | 6.7 | 6.9 | 6.7 | 6.9 |
| 25 | pH | Metres | 11 | 4 | 1.2 | 1.5 | 1.4 | 1.4 | 1.3 | 1.4 | 1.2 | 1.4 | 1.5 | 1.3 |
| Other | Weather - 24 hr | | | | | | | | | | | | | |
| 26 | Zinc - Dissolved | g/m ³ | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 |

Notes: Values in red were reported below the detection limit.

SOUTHERN LANDFILL - BOREHOLE BH3ABH103A MONITORING RESULTS

| Condition | 13/06/2019 | 29/07/2019 | 30/08/2019 | 24/09/2019 | 25/10/2019 | 8/11/2019 | 19/12/2019 | 29/01/2020 | 28/02/2020 | 18/03/2020 | 17/04/2020 | 21/05/2020 |
|----------------------------------|------------|------------|------------|------------|------------|-----------|------------|------------|------------|------------|------------|------------|
| 26 Aluminium - Dissolved | 0.09 | 0.1 | 0.03 | 0.03 | 0.02 | 0.3 | 0.01 | 0.01 | 0.01 | 0.01 | 0.03 | 0.01 |
| 26 Ammonia Nitrogen | | | | | | | | | | | | |
| 26 Arsenic - Dissolved | | | | | | | | | | | | |
| 26 BOD ₅ - Total | 6 | 1 | 6 | 1 | 1 | 6 | 1 | 1 | 1 | 6 | 1 | 1 |
| 26 Boron - Dissolved | | | | | | | | | | | | |
| 26 Cadmium - Dissolved | | | | | | | | | | | | |
| 26 Chemical Oxygen Demand | | 30 | 16 | 23 | 15 | 19 | 48 | 25 | 15 | 15 | 15 | 15 |
| 26 Chloride | | | | | | | | | | | | |
| 26 Chromium - Dissolved | | | | | | | | | | | | |
| 26 Comments | | | | | | | | | | | | |
| 26 Conductivity at 25°C | 83.5 | 86 | 58.2 | 70.4 | 68.2 | 91.4 | 37.1 | 20.8 | 19 | 19.2 | 19.4 | 19.1 |
| 26 Copper - Dissolved | | | | | | | | | | | | |
| 26 Dissolved Reactive Phosphorus | | | | | | | | | | | | |
| 26 Faecal Coliforms | | 20 | 1 | 1 | 3 | 1 | 18 | 1 | 1 | 1 | 7 | 7 |
| 26 Iron - Dissolved | | 0.01 | 0.02 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| 26 Lead - Dissolved | | | | | | | | | | | | |
| 26 Manganese - Dissolved | 0.0109 | 0.0294 | 0.0388 | 0.0103 | 0.0094 | 0.643 | 0.0174 | 0.0017 | 0.0026 | 0.003 | 0.0022 | 0.0013 |
| 26 Nickel - Dissolved | | | | | | | | | | | | |
| 26 Nitrate - Nitrogen | | 7.8 | 6.8 | 7 | 6.7 | 6.5 | 7 | 6.6 | 7 | 6.7 | 6.7 | 6.6 |
| 26 pH | 4.5 | 4.5 | 4.2 | 4.3 | 4.3 | 4.4 | 4.2 | 4.2 | 3 | 3.8 | 4.1 | 4.1 |
| 26 Water Level of Bore | No Rain | No Rain | No Rain | Some Rain | Some Rain | No Rain | Some Rain | Some Rain | No Rain | Some Rain | Some Rain | No Rain |
| 26 Weather - 24 hr | | | | | | | | | | | | |
| 26 Zinc - Dissolved | | | | | | | | | | | | |

| Condition | 26/06/2020 | 30/07/2020 | 27/08/2020 | 28/09/2020 | 21/10/2020 | 26/11/2020 | 18/12/2020 | 20/01/2021 | 18/02/2021 | 18/03/2021 | 29/04/2021 | 28/05/2021 |
|----------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 26 Aluminium - Dissolved | 0.008 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| 26 Ammonia Nitrogen | | 0.54 | | | | | | | | | | |
| 26 Arsenic - Dissolved | | | | | | | | | | | | |
| 26 BOD ₅ - Total | 6 | 1 | 1 | 1 | 1 | 1 | 0.03 | 1 | 6 | 3 | 1 | 6 |
| 26 Boron - Dissolved | | | | | | | | | | | | |
| 26 Cadmium - Dissolved | 0.04 | | | | | | 0.0002 | | 25 | 15 | 18 | 15 |
| 26 Chemical Oxygen Demand | | 17 | 16 | 15 | 15 | 22 | 15 | 15 | | | | |
| 26 Chloride | | | | | | | 17.1 | | | | | |
| 26 Chromium - Dissolved | | | | | | | 0.001 | | | | | |
| 26 Comments | | | | | | | | | | | | |
| 26 Conductivity at 25°C | 24 | 71.4 | 18.5 | 21.7 | 18.7 | 18.7 | 16.9 | 19.4 | 20.5 | 18.9 | 17.9 | 17.9 |
| 26 Copper - Dissolved | 0.0008 | | | | | | 0.0005 | | | | | |
| 26 Dissolved Reactive Phosphorus | | | | | | | 0.045 | | | | | |
| 26 Faecal Coliforms | 16 | 1 | 6 | 54 | 20 | 21 | 12 | 3 | 7 | 1 | 1 | 1 |
| 26 Iron - Dissolved | | 0.01 | 0.01 | 0.03 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| 26 Lead - Dissolved | 0.0005 | | | | | | 0.0005 | | | | | |
| 26 Manganese - Dissolved | 0.0007 | 1.8 | 0.0015 | 0.002 | 0.0076 | 0.0005 | 0.0041 | 0.0015 | 0.0063 | 0.0021 | 0.0011 | 0.001 |
| 26 Nickel - Dissolved | 0.0005 | | | | | | 0.0005 | | | | | |
| 26 Nitrate - Nitrogen | 1.51 | 6.9 | 6.9 | 6.7 | 6.7 | 6.8 | 7.1 | 6.6 | 6.6 | 6.8 | 6.7 | 7 |
| 26 pH | 2.8 | 3.6 | 3.8 | 4.1 | 4 | 3.6 | 3.6 | 3.9 | 3.7 | 4 | 3.3 | 3.5 |
| 26 Water Level of Bore | No Rain | No Rain | Some Rain | Much Rain | Some Rain | Much Rain | No Rain | Some Rain | No Rain | No Rain | No Rain | No Rain |
| 26 Weather - 24 hr | | | | | | | | | | | | |
| 26 Zinc - Dissolved | 0.002 | | | | | | 0.002 | | | | | |

| Condition | 29/06/2021 | 29/07/2021 | 27/08/2021 | 28/09/2021 | 27/10/2021 | 25/11/2021 | 23/12/2021 | 27/01/2022 | 25/02/2022 | 25/03/2022 | 27/04/2022 | 31/05/2022 |
|----------------------------------|------------|------------|------------|------------|--------------------|------------|------------|------------|------------|------------|------------|------------|
| 26 Aluminium - Dissolved | 0.004 | 0.01 | 0.01 | 0.01 | 0.03 | 0.01 | 0.009 | 0.01 | 0.01 | 0.01 | 0.01 | 0.03 |
| 26 Ammonia Nitrogen | | | | | | | | | | | | |
| 26 Arsenic - Dissolved | | | | | | | | | | | | |
| 26 BOD ₅ - Total | 1 | 6 | 1 | 6 | 6 | 1 | 0.001 | 1 | 1 | 1 | 3 | 3 |
| 26 Boron - Dissolved | 0.03 | | | | | | 0.03 | | | | | |
| 26 Cadmium - Dissolved | 0.0002 | | | | | | 0.0002 | | | | | |
| 26 Chemical Oxygen Demand | | 24 | 15 | 15 | 15 | 15 | 33 | 15 | 15 | 15 | 26 | 15 |
| 26 Chloride | | | | | | | 18.9 | | | | | |
| 26 Chromium - Dissolved | | | | | | | 0.001 | | | | | |
| 26 Comments | | | | 18L Flush | Water trace orange | | | | | | | |
| 26 Conductivity at 25°C | 19.2 | 23.4 | 18.4 | 19.3 | 19.7 | 17.3 | 17.4 | 18.8 | 18.0 | 21.4 | 42.6 | 28.7 |
| 26 Copper - Dissolved | 0.0005 | | | | | | 0.0007 | | | | | |
| 26 Dissolved Reactive Phosphorus | | | | | | | 8 | | | | | |
| 26 Faecal Coliforms | 7 | 350 | 56 | 35 | 100 | 4 | 8 | 4 | 20 | 8 | 240 | 240 |
| 26 Iron - Dissolved | | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.0005 | 0.001 | 0.01 | 0.01 | 0.02 | 0.01 |
| 26 Lead - Dissolved | 0.0005 | | | | | | 0.0005 | | | | | |
| 26 Manganese - Dissolved | 0.0005 | 0.0055 | 0.0008 | 0.0275 | 0.0007 | 0.0016 | 0.0005 | 0.0027 | 0.0041 | 0.0008 | 0.006 | 0.214 |
| 26 Nickel - Dissolved | 0.0005 | | | | | | 0.0005 | | | | | |
| 26 Nitrate - Nitrogen | 0.75 | 6.9 | 6.9 | 6.8 | 6.9 | 6.9 | 6.9 | 7.2 | 7.0 | 7.6 | 7.1 | 6.9 |
| 26 pH | 7 | 6 | 3.8 | 3.6 | 0.8 | 3.5 | 3.6 | 3.4 | 3.1 | 3.5 | 3.6 | 3.5 |
| 26 Water Level of Bore | Some Rain | No Rain | Some Rain | Some Rain | No Rain | Clear | Clear | Light Rain | Clear | Showers | Clear | Showers |
| 26 Weather - 24 hr | | | | | | | | | | | | |
| 26 Zinc - Dissolved | 0.002 | | | | | | 0.002 | | | | | |

Notes:
 Values in red were reported below the detection limit.

SOUTHERN LANDFILL - BOREHOLE BH3B/BH103B MONITORING RESULTS

| Condition | 13/06/2019 | 29/07/2019 | 30/08/2019 | 24/09/2019 | 25/10/2019 | 8/11/2019 | 19/12/2019 | 29/01/2020 | 28/02/2020 | 27/03/2020 | 17/04/2020 | 21/05/2020 |
|-------------------------------|------------|------------|------------|------------|------------|-----------|------------|------------|------------|------------|------------|------------|
| Measure | 2.27 | 2.51 | 2.68 | 2.38 | 2.49 | 0.76 | 0.01 | 0.02 | 0.28 | 0.55 | 0.89 | |
| Aluminium - Dissolved | g/m³ | | | | | | | | | | | |
| Ammonia Nitrogen | g/m³ | | | | | | | | | | | |
| Arsenic - Dissolved | g/m³ | | | | | | | | | | | |
| BOD ₅ - Total | g/m³ | 1 | 3 | 2 | 6 | 3 | 1 | 1 | 1 | 1 | 1 | 6 |
| Boron - Dissolved | g/m³ | | | | | | | | | | | |
| Cadmium - Dissolved | g/m³ | | | | | | | | | | | |
| Chemical Oxygen Demand | g/m³ | 19 | 43 | 33 | 37 | 63 | 19 | 19 | 24 | 15 | 15 | 32 |
| Chloride | g/m³ | | | | | | | | | | | |
| Chromium - Dissolved | g/m³ | | | | | | | | | | | |
| Comments | | | | | | | | | | | | |
| Conductivity at 25°C | mS/m | 154 | 164 | 166 | 169 | 88.9 | 28.1 | 28.1 | 23 | 46.9 | 68 | 90 |
| Copper - Dissolved | g/m³ | | | | | | | | | | | |
| Dissolved Reactive Phosphorus | µg/100ml | 4 | 6 | 2 | 7 | 110 | 98 | 98 | 37 | 7 | 4 | 12 |
| Faecal Coliforms | g/m³ | 0.03 | 0.02 | 0.05 | 0.05 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| Iron - Dissolved | g/m³ | | | | | | | | | | | |
| Lead - Dissolved | g/m³ | 8.86 | 10.3 | 9.58 | 10 | 3.7 | 0.0029 | 0.0029 | 0.077 | 1.05 | 2.52 | 3.89 |
| Manganese - Dissolved | g/m³ | | | | | | | | | | | |
| Nickel - Dissolved | g/m³ | 6.9 | 7.7 | 7 | 7 | 7.1 | 6.9 | 7.1 | 7.2 | 6.6 | 6.6 | 6.5 |
| Nitrate - Nitrogen | g/m³ | 4.3 | 4.4 | 4.3 | 4.3 | 4.6 | 7.1 | 7.1 | 2.8 | 4.2 | 4.4 | 4.3 |
| pH | Metres | No Rain | No Rain | Some Rain | Some Rain | No Rain | Some Rain | Some Rain | No Rain | Some Rain | Some Rain | No Rain |
| Water Level of Bore | g/m³ | | | | | | | | | | | |
| Weather - 24 hr | | | | | | | | | | | | |
| Zinc - Dissolved | g/m³ | | | | | | | | | | | |

| Condition | 26/06/2020 | 30/07/2020 | 27/08/2020 | 28/09/2020 | 21/10/2020 | 26/11/2020 | 18/12/2020 | 20/01/2021 | 18/02/2021 | 18/03/2021 | 29/04/2021 | 28/05/2021 |
|-------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Measure | 0.007 | 0.01 | 0.75 | 0.54 | 0.82 | 0.09 | 0.004 | 1.25 | 0.7 | 1.25 | 0.78 | 0.56 |
| Aluminium - Dissolved | g/m³ | | | | | | | | | | | |
| Ammonia Nitrogen | g/m³ | 1.23 | 1.23 | 1.23 | 1.23 | 0.84 | 0.001 | 0.84 | 0.84 | 0.84 | 0.84 | 0.84 |
| Arsenic - Dissolved | g/m³ | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| BOD ₅ - Total | g/m³ | 2 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 |
| Boron - Dissolved | g/m³ | 0.31 | 0.31 | 0.31 | 0.31 | 0.31 | 0.31 | 0.31 | 0.31 | 0.31 | 0.31 | 0.31 |
| Cadmium - Dissolved | g/m³ | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.0002 |
| Chemical Oxygen Demand | g/m³ | 36 | 20 | 41 | 23 | 33 | 36 | 43 | 30 | 36 | 28 | 16 |
| Chloride | g/m³ | 121 | 121 | 121 | 121 | 121 | 86.3 | 86.3 | 86.3 | 86.3 | 86.3 | 86.3 |
| Chromium - Dissolved | g/m³ | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| Comments | | | | | | | | | | | | |
| Conductivity at 25°C | mS/m | 123 | 17.2 | 97.3 | 74.2 | 34 | 90.3 | 151 | 118 | 118 | 77.2 | 85.3 |
| Copper - Dissolved | g/m³ | 0.0663 | 0.0663 | 0.0663 | 0.0663 | 0.0663 | 0.0663 | 0.0663 | 0.0663 | 0.0663 | 0.0663 | 0.0663 |
| Dissolved Reactive Phosphorus | µg/100ml | 0.02 | 4 | 1 | 35 | 32 | 0.015 | 8 | 98 | 1 | 1 | 2 |
| Faecal Coliforms | g/m³ | 29 | 4 | 1 | 0.01 | 0.02 | 0.015 | 0.02 | 0.01 | 0.04 | 0.02 | 0.01 |
| Iron - Dissolved | g/m³ | 0.02 | 0.01 | 0.01 | 0.01 | 0.01 | 0.0005 | 0.0005 | 0.01 | 0.04 | 0.02 | 0.01 |
| Lead - Dissolved | g/m³ | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 |
| Manganese - Dissolved | g/m³ | 5.1 | 0.0013 | 2.85 | 2.5 | 0.286 | 0.0019 | 6.93 | 3.11 | 7.51 | 3.89 | 2.13 |
| Nickel - Dissolved | g/m³ | 0.034 | 0.034 | 0.034 | 0.034 | 0.034 | 0.034 | 0.034 | 0.034 | 0.034 | 0.034 | 0.034 |
| Nitrate - Nitrogen | g/m³ | 0.03 | 7.1 | 6.5 | 6.6 | 6.4 | 0.06 | 6.5 | 6.6 | 6.9 | 6.5 | 6.7 |
| pH | Metres | 6.6 | 4.1 | 4.3 | 4 | 3.9 | 4.1 | 4.2 | 4.3 | 4.2 | 4.2 | 4.2 |
| Water Level of Bore | g/m³ | No Rain | No Rain | Some Rain | Much Rain | Much Rain | No Rain | Some Rain | No Rain | No Rain | No Rain | No Rain |
| Weather - 24 hr | | | | | | | | | | | | |
| Zinc - Dissolved | g/m³ | 0.008 | | | | | 0.004 | | | | | |

| Condition | 29/06/2021 | 29/07/2021 | 27/08/2021 | 28/09/2021 | 27/10/2021 | 25/11/2021 | 23/12/2021 | 27/01/2022 | 25/02/2022 | 25/03/2022 | 27/04/2022 | 31/05/2022 |
|-------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| Measure | 0.003 | 0.6 | 0.68 | 0.35 | 0.53 | 0.21 | 0.006 | 0.01 | 0.76 | 0.80 | 0.01 | 0.47 |
| Aluminium - Dissolved | g/m³ | | | | | | | | | | | |
| Ammonia Nitrogen | g/m³ | 0.75 | 6 | 2 | 6 | 1 | 0.001 | 0.001 | 0.80 | 0.80 | 0.01 | 0.47 |
| Arsenic - Dissolved | g/m³ | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| BOD ₅ - Total | g/m³ | 1 | 6 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 3 | 6 |
| Boron - Dissolved | g/m³ | 0.18 | 0.18 | 0.18 | 0.18 | 0.18 | 0.18 | 0.18 | 0.18 | 0.18 | 0.18 | 0.18 |
| Cadmium - Dissolved | g/m³ | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.0002 | 0.0002 |
| Chemical Oxygen Demand | g/m³ | 15 | 15 | 40 | 17 | 15 | 18.8 | 15 | 21 | 75 | 18 | 33 |
| Chloride | g/m³ | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 | 62.5 |
| Chromium - Dissolved | g/m³ | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| Comments | | | | | | | | | | | | |
| Conductivity at 25°C | mS/m | 64.7 | 78.9 | 84.5 | 53.9 | 38.8 | 19.5 | 20.1 | 85.4 | 92.6 | 35.4 | 68.7 |
| Copper - Dissolved | g/m³ | 0.087 | 0.087 | 0.087 | 0.087 | 0.087 | 0.087 | 0.087 | 0.087 | 0.087 | 0.087 | 0.087 |
| Dissolved Reactive Phosphorus | µg/100ml | 0.016 | 400 | 44 | 27 | 4 | 0.035 | 4 | 16 | 44 | 130 | 240 |
| Faecal Coliforms | g/m³ | 21 | 400 | 0.02 | 0.01 | 0.02 | 4 | 0.01 | 0.02 | 0.02 | 0.01 | 0.03 |
| Iron - Dissolved | g/m³ | 0.01 | 0.01 | 0.02 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| Lead - Dissolved | g/m³ | 0.0005 | 2.58 | 2.9 | 1.4 | 0.85 | 0.0005 | 0.0069 | 3.49 | 3.20 | 0.0202 | 1.46 |
| Manganese - Dissolved | g/m³ | 2.18 | 6.7 | 6.6 | 6.6 | 7 | 0.44 | 6.8 | 6.6 | 7.4 | 6.6 | 6.7 |
| Nickel - Nitrogen | g/m³ | 0.0016 | 12.5 | 4 | 4 | 4.1 | 0.0016 | 4.2 | 3.9 | 4.0 | 4.0 | 3.8 |
| pH | Metres | 6.6 | No Rain | Some Rain | Some Rain | No Rain | Clear | Light Rain | Clear | Showers | Clear | Showers |
| Water Level of Bore | g/m³ | 4 | | | | | | | | | | |
| Weather - 24 hr | | | | | | | | | | | | |
| Zinc - Dissolved | g/m³ | 0.022 | | | | | 0.002 | | | | | |

Notes:
 Values in red were reported below the detection limit.

SOUTHERN LANDFILL - BOREHOLE BH6 MONITORING RESULTS

| Condition | Measure | 28/06/2020 | 30/07/2020 | 27/08/2020 | 28/09/2020 | 21/10/2020 | 26/11/2020 | 18/12/2020 | 29/01/2021 | 28/02/2021 | 27/03/2021 | 17/04/2021 | 21/05/2021 |
|-----------|-------------------------------|--|--|--|--|--|--|--|--|--|--|--|--|
| 26 | Aluminium - Dissolved | | | | | | | | | | | 0.01 | 0.02 |
| 25 | Ammonia Nitrogen | | | | | | | | | | | 1 | 6 |
| 26 | Arsenic - Dissolved | | | | | | | | | | | 15 | 15 |
| 25 | BOD ₅ - Total | | | | | | | | | | | | |
| 26 | Boron - Dissolved | | | | | | | | | | | | |
| 26 | Cadmium - Dissolved | | | | | | | | | | | | |
| 26 | Chemical Oxygen Demand | | | | | | | | | | | | |
| 26 | Chloride | | | | | | | | | | | | |
| 26 | Chromium - Dissolved | | | | | | | | | | | | |
| Other | Comments | No sample collected - Bore covered, not accessible | No sample collected - Bore covered, not accessible | No sample collected - Bore covered, not accessible | No sample collected - Bore covered, not accessible | No sample collected - Bore covered, not accessible | No sample collected - Bore covered, not accessible | No sample collected - Bore covered, not accessible | No sample collected - Bore covered, not accessible | No sample collected - Bore covered, not accessible | No sample collected - Bore covered, not accessible | No sample collected - Bore covered, not accessible | No sample collected - Bore covered, not accessible |
| 25 | Conductivity at 25°C | | | | | | | | | | | 36.6 | 43.2 |
| 26 | Copper - Dissolved | | | | | | | | | | | | |
| 26 | Dissolved Reactive Phosphorus | | | | | | | | | | | | |
| 25 | Faecal Coliforms | | | | | | | | | | | | |
| 25 | Iron - Dissolved | | | | | | | | | | | | |
| 26 | Lead - Dissolved | | | | | | | | | | | | |
| 25 | Manganese - Dissolved | | | | | | | | | | | | |
| 26 | Nickel - Dissolved | | | | | | | | | | | | |
| 26 | Nitrate - Nitrogen | | | | | | | | | | | | |
| 25 | pH | | | | | | | | | | | | |
| 25 | Water Level of Bore | | | | | | | | | | | | |
| Other | Weather - 24 hr | | | | | | | | | | | | |
| Other | Zinc - Dissolved | | | | | | | | | | | | |

| Condition | Measure | 28/06/2021 | 30/07/2021 | 27/08/2021 | 28/09/2021 | 27/10/2021 | 25/11/2021 | 23/12/2021 | 27/01/2022 | 25/02/2022 | 25/03/2022 | 27/04/2022 | 31/05/2022 |
|-----------|-------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 26 | Aluminium - Dissolved | | | | | | | | | | | | |
| 25 | Ammonia Nitrogen | | | | | | | | | | | | |
| 26 | Arsenic - Dissolved | | | | | | | | | | | | |
| 25 | BOD ₅ - Total | | | | | | | | | | | | |
| 26 | Boron - Dissolved | | | | | | | | | | | | |
| 26 | Cadmium - Dissolved | | | | | | | | | | | | |
| 26 | Chemical Oxygen Demand | | | | | | | | | | | | |
| 26 | Chloride | | | | | | | | | | | | |
| 26 | Chromium - Dissolved | | | | | | | | | | | | |
| Other | Comments | | | | | | | | | | | | |
| 23 | Conductivity at 25°C | | | | | | | | | | | | |
| 26 | Copper - Dissolved | | | | | | | | | | | | |
| 26 | Dissolved Reactive Phosphorus | | | | | | | | | | | | |
| 26 | Faecal Coliforms | | | | | | | | | | | | |
| 25 | Iron - Dissolved | | | | | | | | | | | | |
| 26 | Lead - Dissolved | | | | | | | | | | | | |
| 25 | Manganese - Dissolved | | | | | | | | | | | | |
| 26 | Nickel - Dissolved | | | | | | | | | | | | |
| 26 | Nitrate - Nitrogen | | | | | | | | | | | | |
| 25 | pH | | | | | | | | | | | | |
| 25 | Water Level of Bore | | | | | | | | | | | | |
| Other | Weather - 24 hr | | | | | | | | | | | | |
| Other | Zinc - Dissolved | | | | | | | | | | | | |

| Condition | Measure | 29/06/2021 | 29/07/2021 | 27/08/2021 | 28/09/2021 | 27/10/2021 | 25/11/2021 | 23/12/2021 | 27/01/2022 | 25/02/2022 | 25/03/2022 | 27/04/2022 | 31/05/2022 |
|-----------|-------------------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 26 | Aluminium - Dissolved | | | | | | | | | | | | |
| 25 | Ammonia Nitrogen | | | | | | | | | | | | |
| 26 | Arsenic - Dissolved | | | | | | | | | | | | |
| 25 | BOD ₅ - Total | | | | | | | | | | | | |
| 26 | Boron - Dissolved | | | | | | | | | | | | |
| 26 | Cadmium - Dissolved | | | | | | | | | | | | |
| 26 | Chemical Oxygen Demand | | | | | | | | | | | | |
| 26 | Chloride | | | | | | | | | | | | |
| 26 | Chromium - Dissolved | | | | | | | | | | | | |
| Other | Comments | | | | | | | | | | | | |
| 25 | Conductivity at 25°C | | | | | | | | | | | | |
| 26 | Copper - Dissolved | | | | | | | | | | | | |
| 26 | Dissolved Reactive Phosphorus | | | | | | | | | | | | |
| 25 | Faecal Coliforms | | | | | | | | | | | | |
| 25 | Iron - Dissolved | | | | | | | | | | | | |
| 26 | Lead - Dissolved | | | | | | | | | | | | |
| 25 | Manganese - Dissolved | | | | | | | | | | | | |
| 26 | Nickel - Dissolved | | | | | | | | | | | | |
| 26 | Nitrate - Nitrogen | | | | | | | | | | | | |
| 25 | pH | | | | | | | | | | | | |
| 25 | Water Level of Bore | | | | | | | | | | | | |
| Other | Weather - 24 hr | | | | | | | | | | | | |
| Other | Zinc - Dissolved | | | | | | | | | | | | |

Notes:
 Values in red were reported below the detection limit.

SOUTHERN LANDFILL - UPSTREAM MONITORING OF CAREY'S STREAM

| Condition | Description | Measure | 13/06/2019 | 29/07/2019 | 30/08/2019 | 24/09/2019 | 25/10/2019 | 8/11/2019 | 19/12/2019 | 29/01/2020 | 28/02/2020 | 27/03/2020 | 17/04/2020 | 21/05/2020 |
|-----------|-------------------------------|------------------|------------|------------|------------|------------|------------|-----------|------------|------------|------------|------------|------------|------------|
| 26 | Aluminium - Acid Soluble | g/m ³ | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.02 |
| 25 | Ammonia Nitrogen | g/m ³ | | | | | | | | | | | | |
| 26 | Arsenic - Acid Soluble | g/m ³ | | | | | | | | | | | | |
| 25 | BOD ₅ - Total | g/m ³ | 6 | 1 | 3 | 1 | 3 | 6 | 6 | 1 | 6 | 1 | 3 | 1 |
| 26 | Boron - Acid Soluble | g/m ³ | | | | | | | | | | | | |
| 26 | Cadmium - Acid Soluble | g/m ³ | 15 | 16 | 45 | 15 | 15 | 15 | 40 | 27 | 15 | 15 | 15 | 15 |
| Other | Chemical Oxygen Demand | g/m ³ | | | | | | | | | | | | |
| 26 | Chloride | g/m ³ | | | | | | | | | | | | |
| 26 | Chromium - Acid Soluble | g/m ³ | 23.3 | 22.0 | 22.6 | 23.0 | 21.3 | 23.7 | 18.7 | 25.3 | 26.1 | 26.2 | 26.0 | 25.2 |
| 25 | Conductivity at 25°C | mS/m | | | | | | | | | | | | |
| 26 | Copper - Acid Soluble | g/m ³ | | | | | | | | | | | | |
| 26 | Dissolved Reactive Phosphorus | µg/l/100ml | | | | | | | | | | | | |
| 25 | Faecal Coliforms | cfu/100ml | 73 | 220 | 4 | 16 | 24 | 230 | 500 | 260 | 2900 | 100 | 150 | 340 |
| 25 | Iron - Acid Soluble | g/m ³ | 0.05 | 0.01 | 0.01 | 0.03 | 0.01 | 0.03 | 0.03 | 0.01 | 0.01 | 0.01 | 0.01 | 0.02 |
| 26 | Lead - Acid Soluble | g/m ³ | | | | | | | | | | | | |
| 25 | Manganese - Acid Soluble | g/m ³ | 0.0045 | 0.0005 | 0.001 | 0.0065 | 0.0014 | 0.0187 | 0.0021 | 0.0013 | 0.003 | 0.0008 | 0.0009 | 0.0013 |
| 26 | Nickel - Acid Soluble | g/m ³ | | | | | | | | | | | | |
| 26 | Nitrate - Nitrogen | g/m ³ | 0.3 | 0.38 | 0.32 | 0.25 | 0.21 | 0.23 | 0.25 | 0.23 | 0.25 | 0.3 | 0.22 | 0.29 |
| 25 | pH | | 7.8 | 7.8 | 7.8 | 7.8 | 7.7 | 7.6 | 7.6 | 7.8 | 7.8 | 7.8 | 7.9 | 7.9 |
| Other | Suspended Solids - Total | g/m ³ | 6 | 6 | 6 | 6 | 6 | 6 | 5 | 6 | 6 | 6 | 6 | 6 |
| 26 | Zinc - Acid Soluble | g/m ³ | | | | | | | | | | | | |

| Condition | Description | Measure | 26/06/2020 | 30/07/2020 | 27/08/2020 | 28/09/2020 | 21/10/2020 | 26/11/2020 | 18/12/2020 | 20/01/2021 | 18/02/2021 | 18/03/2021 | 29/04/2021 | 28/05/2021 |
|-----------|-------------------------------|------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 26 | Aluminium - Acid Soluble | g/m ³ | 0.022 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| 25 | Ammonia Nitrogen | g/m ³ | | | | | | | | | | | | |
| 26 | Arsenic - Acid Soluble | g/m ³ | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.01 |
| 25 | BOD ₅ - Total | g/m ³ | 3 | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 1 | 1 |
| 26 | Boron - Acid Soluble | g/m ³ | 0.04 | | | | | | | | | | | |
| 26 | Cadmium - Acid Soluble | g/m ³ | 0.0002 | 15 | 15 | 15 | 15 | 20 | 15 | 25 | 15 | 18 | 21 | 22 |
| Other | Chemical Oxygen Demand | g/m ³ | | | | | | | | | | | | |
| 26 | Chloride | g/m ³ | 36.9 | | | | | | | | | | | |
| 26 | Chromium - Acid Soluble | g/m ³ | 0.001 | 23.8 | 24.5 | 19.0 | 23.5 | 21.0 | 22.9 | 24.1 | 24.9 | 26.0 | 26.0 | 25.6 |
| 25 | Conductivity at 25°C | mS/m | | | | | | | | | | | | |
| 26 | Copper - Acid Soluble | g/m ³ | 0.0005 | | | | | | | | | | | |
| 26 | Dissolved Reactive Phosphorus | µg/l/100ml | | | | | | | | | | | | |
| 25 | Faecal Coliforms | cfu/100ml | 88 | 290 | 28 | 12 | 100 | 88 | 380 | 150 | 77 | 69 | 300 | 32 |
| 25 | Iron - Acid Soluble | g/m ³ | 0.01 | 0.01 | 0.01 | 0.02 | 0.01 | 0.02 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 |
| 26 | Lead - Acid Soluble | g/m ³ | 0.0005 | 0.0005 | 0.0006 | 0.0022 | 0.0012 | 0.0012 | 0.0005 | 0.0008 | 0.0006 | 0.0013 | 0.0031 | 0.0005 |
| 25 | Manganese - Acid Soluble | g/m ³ | 0.002 | 0.002 | 0.002 | 0.002 | 0.002 | 0.0012 | 0.0007 | 0.0007 | 0.0006 | 0.0013 | 0.0031 | 0.0005 |
| 26 | Nickel - Acid Soluble | g/m ³ | 0.28 | 0.33 | 0.26 | 0.21 | 0.17 | 0.19 | 0.2 | 0.18 | 0.23 | 0.26 | 0.27 | 0.27 |
| 25 | Nitrate - Nitrogen | g/m ³ | 7.6 | 7.7 | 7.8 | 7.5 | 7.7 | 7.6 | 7.9 | 7.8 | 7.7 | 7.8 | 7.8 | 7.7 |
| 25 | pH | | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 5 |
| Other | Suspended Solids - Total | g/m ³ | | | | | | | | | | | | |
| 26 | Zinc - Acid Soluble | g/m ³ | 0.002 | | | | | | | | | | | |

| Condition | Description | Measure | 29/06/2021 | 29/07/2021 | 27/08/2021 | 28/09/2021 | 27/10/2021 | 25/11/2021 | 23/12/2021 | 27/01/2022 | 25/02/2022 | 25/03/2022 | 27/04/2022 | 3/06/2022 |
|-----------|-------------------------------|------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|
| 26 | Aluminium - Acid Soluble | g/m ³ | 0.016 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.013 | 0.01 | 0.01 | 0.01 | 0.01 | 0.3 |
| 25 | Ammonia Nitrogen | g/m ³ | | | | | | | | | | | | |
| 26 | Arsenic - Acid Soluble | g/m ³ | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.3 |
| 25 | BOD ₅ - Total | g/m ³ | 3 | 1 | 3 | 3 | 6 | 1 | 1 | 1 | 1 | 1 | 3 | 3 |
| 26 | Boron - Acid Soluble | g/m ³ | 0.04 | | | | | | | | | | | |
| Other | Chemical Oxygen Demand | g/m ³ | | | | | | | | | | | | |
| 26 | Chloride | g/m ³ | 15 | 21 | 17 | 15 | 15 | 15 | 17 | 15 | 15 | 18 | 15 | 17 |
| 26 | Chromium - Acid Soluble | g/m ³ | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| 25 | Conductivity at 25°C | mS/m | | | | | | | | | | | | |
| 26 | Copper - Acid Soluble | g/m ³ | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 |
| 26 | Dissolved Reactive Phosphorus | µg/l/100ml | | | | | | | | | | | | |
| 25 | Faecal Coliforms | cfu/100ml | 40 | 620 | 77 | 20 | 80 | 240 | 110 | 56 | 28 | 92 | 170 | 220 |
| 25 | Iron - Acid Soluble | g/m ³ | 0.01 | 0.03 | 0.01 | 0.02 | 0.01 | 0.01 | 0.01 | 0.01 | 0.01 | 0.02 | 0.01 | 0.08 |
| 25 | Lead - Acid Soluble | g/m ³ | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 | 0.0005 |
| 26 | Manganese - Acid Soluble | g/m ³ | 0.0015 | 0.0017 | 0.0011 | 0.0015 | 0.0011 | 0.0014 | 0.0012 | 0.0011 | 0.0006 | 0.0008 | 0.0005 | 0.0459 |
| 26 | Nickel - Acid Soluble | g/m ³ | 0.0005 | 0.0015 | 0.0011 | 0.0015 | 0.0011 | 0.0014 | 0.0005 | 0.0011 | 0.0006 | 0.0008 | 0.0005 | 0.0459 |
| 26 | Nitrate - Nitrogen | g/m ³ | 0.27 | 0.36 | 0.31 | 0.3 | 0.21 | 0.22 | 0.28 | 0.26 | 0.32 | 0.30 | 0.32 | 0.38 |
| 25 | pH | | 7.6 | 7.6 | 7.8 | 7.6 | 7.7 | 7.8 | 7.7 | 7.8 | 7.6 | 7.8 | 7.7 | 7.7 |
| Other | Suspended Solids - Total | g/m ³ | | | | | | | | | | | | |
| 26 | Zinc - Acid Soluble | g/m ³ | 0.002 | 5 | 6 | 6 | 5 | 6 | 6 | 5 | 5 | 5 | 3 | 4 |

Notes:
 Values in red were reported below the detection limit.

SOUTHERN LANDFILL - DOWNSTREAM MONITORING OF CAREY'S STREAM

| Condition | Description | Measure | 13/06/2019 | 29/07/2019 | 30/08/2019 | 24/09/2019 | 25/10/2019 | 8/11/2019 | 19/12/2019 | 29/01/2020 | 28/02/2020 | 27/03/2020 | 17/04/2020 | 21/05/2020 |
|-----------|-------------------------------|------------------|------------|------------|------------|------------|------------|-----------|------------|------------|------------|------------|------------|------------|
| 26 | Aluminium - Acid Soluble | g/m ³ | 0.83 | 1.29 | 1.22 | 1.08 | 0.57 | 0.68 | 0.24 | 0.22 | 0.12 | 0.1 | 0.49 | 0.81 |
| 25 | Ammonia Nitrogen | g/m ³ | 6 | 6 | 8 | 4 | 3 | 6 | 3 | 1 | 1 | 1 | 3 | 1 |
| 26 | Arsenic - Acid Soluble | g/m ³ | 15 | 49 | 48 | 15 | 15 | 15 | 44 | 31 | 45 | 15 | 15 | 15 |
| 26 | BOD ₅ - Total | g/m ³ | 71.5 | 86.7 | 74.7 | 75.2 | 30.4 | 37.4 | 22.6 | 39.9 | 40.4 | 37.8 | 40.0 | 38.8 |
| 26 | Boron - Acid Soluble | g/m ³ | 4 | 48 | 16 | 80 | 38 | 230 | 200 | 110 | 32 | 170 | 12 | 400 |
| 26 | Cadmium - Acid Soluble | g/m ³ | 0.24 | 0.27 | 0.36 | 0.36 | 0.07 | 0.08 | 0.07 | 0.1 | 0.06 | 0.1 | 0.04 | 0.1 |
| 26 | Chemical Oxygen Demand | g/m ³ | 0.822 | 0.811 | 0.977 | 0.885 | 0.274 | 0.404 | 0.147 | 0.314 | 0.232 | 0.227 | 0.303 | 0.39 |
| 26 | Chloride | g/m ³ | 1.44 | 2.09 | 1.4 | 1.39 | 0.4 | 0.68 | 0.35 | 1.18 | 1.3 | 1.19 | 0.89 | 0.6 |
| 26 | Chromium - Acid Soluble | g/m ³ | 8 | 7.9 | 7.8 | 7.7 | 7.6 | 7.9 | 6.8 | 7.8 | 8.0 | 7.9 | 8.0 | 7.9 |
| 26 | Conductivity at 25 °C | mS/m | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 | 6 |
| 26 | Copper - Acid Soluble | g/m ³ | 0.017 | 0.045 | 0.09 | 0.54 | 0.74 | 0.63 | 0.009 | 0.52 | 0.37 | 0.22 | 0.24 | 0.13 |
| 26 | Dissolved Reactive Phosphorus | g/m ³ | 0.001 | 1.23 | 0.69 | 0.69 | 0.74 | 0.63 | 0.001 | 0.52 | 0.37 | 0.22 | 0.24 | 0.13 |
| 26 | Faecal Coliforms | cfu/100ml | 0.06 | 1 | 3 | 5 | 3 | 2 | 0.05 | 2 | 1 | 1 | 1 | 1 |
| 26 | Iron - Acid Soluble | g/m ³ | 0.002 | 15 | 15 | 15 | 15 | 22 | 0.0002 | 34 | 15 | 15 | 21 | 15 |
| 26 | Lead - Acid Soluble | g/m ³ | 17 | 37.1 | 39.5 | 24.3 | 35 | 28.3 | 45.2 | 37.9 | 38.9 | 42.2 | 40.4 | 39.8 |
| 26 | Manganese - Acid Soluble | g/m ³ | 0.001 | 8 | 32 | 320 | 27 | 120 | 0.01 | 140 | 60 | 31 | 28 | 12 |
| 26 | Chemical Oxygen Demand | g/m ³ | 39.9 | 0.07 | 0.06 | 0.12 | 0.07 | 0.1 | 0.0005 | 0.07 | 0.09 | 0.05 | 0.05 | 0.03 |
| 26 | Chromium - Acid Soluble | g/m ³ | 25.7 | 0.485 | 0.392 | 0.247 | 0.319 | 0.201 | 0.0005 | 0.327 | 0.254 | 0.207 | 0.24 | 0.209 |
| 26 | Copper - Acid Soluble | g/m ³ | 0.005 | 0.42 | 1.17 | 0.35 | 0.63 | 0.48 | 0.0005 | 0.99 | 1.3 | 1.5 | 1.26 | 1.56 |
| 26 | Dissolved Reactive Phosphorus | g/m ³ | 210 | 7.7 | 7.8 | 7.4 | 7.7 | 7.4 | 7.9 | 7.8 | 7.6 | 8.0 | 7.9 | 7.9 |
| 26 | Faecal Coliforms | cfu/100ml | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.002 | 6 | 6 | 10 | 6 | 6 |
| 26 | Iron - Acid Soluble | g/m ³ | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.002 | 6 | 6 | 6 | 6 | 6 |
| 26 | Lead - Acid Soluble | g/m ³ | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.002 | 6 | 6 | 6 | 6 | 6 |
| 26 | Manganese - Acid Soluble | g/m ³ | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.002 | 6 | 6 | 6 | 6 | 6 |
| 26 | Nickel - Acid Soluble | g/m ³ | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.002 | 6 | 6 | 6 | 6 | 6 |
| 26 | Nitrate - Nitrogen | g/m ³ | 0.002 | 6 | 6 | 6 | 6 | 6 | 0.002 | 6 | 6 | 6 | 6 | 6 |
| 26 | pH | g/m ³ | 0.002 | 6 | 6 | 6 | 6 | 6 | 0.002 | 6 | 6 | 6 | 6 | 6 |
| 26 | Suspended Solids - Total | g/m ³ | 0.002 | 6 | 6 | 6 | 6 | 6 | 0.002 | 6 | 6 | 6 | 6 | 6 |
| 26 | Zinc - Acid Soluble | g/m ³ | 0.002 | 6 | 6 | 6 | 6 | 6 | 0.002 | 6 | 6 | 6 | 6 | 6 |

| Condition | Description | Measure | 26/06/2020 | 30/07/2020 | 27/08/2020 | 28/09/2020 | 21/10/2020 | 26/11/2020 | 18/12/2020 | 20/01/2021 | 18/02/2021 | 18/03/2021 | 29/04/2021 | 28/05/2021 |
|-----------|-------------------------------|------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 26 | Aluminium - Acid Soluble | g/m ³ | 0.017 | 1.23 | 0.69 | 0.54 | 0.74 | 0.63 | 0.009 | 0.52 | 0.37 | 0.22 | 0.24 | 0.13 |
| 26 | Ammonia Nitrogen | g/m ³ | 0.045 | 1 | 3 | 5 | 3 | 2 | 0.06 | 2 | 1 | 1 | 1 | 1 |
| 26 | Arsenic - Acid Soluble | g/m ³ | 3 | 15 | 15 | 15 | 15 | 22 | 0.05 | 34 | 15 | 15 | 21 | 15 |
| 26 | BOD ₅ - Total | g/m ³ | 0.06 | 37.1 | 39.5 | 24.3 | 35 | 28.3 | 0.0002 | 37.9 | 38.9 | 42.2 | 40.4 | 39.8 |
| 26 | Boron - Acid Soluble | g/m ³ | 0.002 | 8 | 32 | 320 | 27 | 120 | 0.01 | 140 | 60 | 31 | 28 | 12 |
| 26 | Chemical Oxygen Demand | g/m ³ | 17 | 0.07 | 0.06 | 0.12 | 0.07 | 0.1 | 0.0005 | 0.07 | 0.09 | 0.05 | 0.05 | 0.03 |
| 26 | Chromium - Acid Soluble | g/m ³ | 25.7 | 0.485 | 0.392 | 0.247 | 0.319 | 0.201 | 0.0005 | 0.327 | 0.254 | 0.207 | 0.24 | 0.209 |
| 26 | Copper - Acid Soluble | g/m ³ | 0.005 | 0.42 | 1.17 | 0.35 | 0.63 | 0.48 | 0.0005 | 0.99 | 1.3 | 1.5 | 1.26 | 1.56 |
| 26 | Dissolved Reactive Phosphorus | g/m ³ | 210 | 7.7 | 7.8 | 7.4 | 7.7 | 7.4 | 0.0005 | 7.8 | 7.6 | 8.0 | 7.9 | 7.9 |
| 26 | Faecal Coliforms | cfu/100ml | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.001 | 6 | 6 | 10 | 6 | 6 |
| 26 | Iron - Acid Soluble | g/m ³ | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.001 | 6 | 6 | 6 | 6 | 6 |
| 26 | Lead - Acid Soluble | g/m ³ | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.001 | 6 | 6 | 6 | 6 | 6 |
| 26 | Manganese - Acid Soluble | g/m ³ | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.001 | 6 | 6 | 6 | 6 | 6 |
| 26 | Nickel - Acid Soluble | g/m ³ | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.001 | 6 | 6 | 6 | 6 | 6 |
| 26 | Nitrate - Nitrogen | g/m ³ | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.001 | 6 | 6 | 6 | 6 | 6 |
| 26 | pH | g/m ³ | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.001 | 6 | 6 | 6 | 6 | 6 |
| 26 | Suspended Solids - Total | g/m ³ | 0.002 | 6 | 6 | 6 | 6 | 6 | 0.002 | 6 | 6 | 6 | 6 | 6 |
| 26 | Zinc - Acid Soluble | g/m ³ | 0.002 | 6 | 6 | 6 | 6 | 6 | 0.002 | 6 | 6 | 6 | 6 | 6 |




| Condition | Description | Measure | 29/06/2021 | 29/07/2021 | 27/08/2021 | 28/09/2021 | 27/10/2021 | 25/11/2021 | 23/12/2021 | 27/01/2022 | 25/02/2022 | 25/03/2022 | 27/04/2022 | 31/05/2022 |
|-----------|-------------------------------|------------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|
| 26 | Aluminium - Acid Soluble | g/m ³ | 0.017 | 1.23 | 1.7 | 3.7 | 1.64 | 0.59 | 0.013 | 0.98 | 2.32 | 0.89 | 0.05 | 2.53 |
| 25 | Ammonia Nitrogen | g/m ³ | 0.77 | 6 | 6 | 3 | 6 | 2 | 0.001 | 4 | 1 | 6 | 3 | 6 |
| 26 | Arsenic - Acid Soluble | g/m ³ | 0.001 | 15 | 15 | 15 | 15 | 15 | 0.05 | 20 | 15 | 24 | 20 | 24 |
| 26 | BOD ₅ - Total | g/m ³ | 0.05 | 40.9 | 32 | 20 | 20 | 41.3 | 0.0002 | 42.8 | 33.6 | 40.6 | 48.2 | 37.5 |
| 26 | Boron - Acid Soluble | g/m ³ | 0.002 | 28.1 | 33.8 | 31.5 | 38.7 | 41.3 | 0.0005 | 42.8 | 33.6 | 40.6 | 48.2 | 37.5 |
| 26 | Chemical Oxygen Demand | g/m ³ | 15 | 2200 | 96 | 2100 | 76 | 120 | 0.007 | 100 | 220 | 1100 | 4 | 240 |
| 26 | Chloride | g/m ³ | 40.9 | 0.21 | 0.18 | 0.23 | 0.14 | 0.09 | 0.0005 | 0.11 | 0.14 | 0.13 | 0.03 | 0.34 |
| 26 | Chromium - Acid Soluble | g/m ³ | 0.001 | 0.285 | 0.386 | 0.413 | 0.4 | 0.347 | 0.0005 | 0.439 | 0.607 | 0.451 | 0.165 | 0.29 |
| 26 | Conductivity at 25 °C | mS/m | 27.4 | 0.41 | 0.41 | 0.4 | 1.35 | 1.94 | 0.0005 | 1.67 | 0.33 | 2.12 | 3.25 | 3.06 |
| 26 | Copper - Acid Soluble | g/m ³ | 0.005 | 7.5 | 7.7 | 7.6 | 7.7 | 7.7 | 0.0005 | 7.7 | 7.5 | 7.6 | 7.8 | 7.4 |
| 26 | Faecal Coliforms | cfu/100ml | 16 | 0.41 | 0.41 | 0.4 | 0.4 | 0.4 | 0.0005 | 0.439 | 0.607 | 0.451 | 0.165 | 0.29 |
| 26 | Dissolved Reactive Phosphorus | g/m ³ | 0.01 | 9 | 9 | 6 | 5 | 6 | 0.0005 | 6 | 5 | 5 | 3 | 3 |
| 26 | Faecal Coliforms | cfu/100ml | 16 | 0.41 | 0.41 | 0.4 | 0.4 | 0.4 | 0.0005 | 0.439 | 0.607 | 0.451 | 0.165 | 0.29 |
| 26 | Iron - Acid Soluble | g/m ³ | 0.005 | 7.5 | 7.7 | 7.6 | 7.7 | 7.7 | 0.0005 | 7.7 | 7.5 | 7.6 | 7.8 | 7.4 |
| 26 | Lead - Acid Soluble | g/m ³ | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.0005 | 6 | 6 | 6 | 6 | 6 |
| 26 | Manganese - Acid Soluble | g/m ³ | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.0005 | 6 | 6 | 6 | 6 | 6 |
| 26 | Nickel - Acid Soluble | g/m ³ | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.0005 | 6 | 6 | 6 | 6 | 6 |
| 26 | Nitrate - Nitrogen | g/m ³ | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.0005 | 6 | 6 | 6 | 6 | 6 |
| 26 | pH | g/m ³ | 0.005 | 6 | 6 | 6 | 6 | 6 | 0.0005 | 6 | 6 | 6 | 6 | 6 |
| 26 | Suspended Solids - Total | g/m ³ | 0.002 | 6 | 6 | 6 | 6 | 6 | 0.002 | 6 | 6 | 6 | 6 | 6 |
| 26 | Zinc - Acid Soluble | g/m ³ | 0.002 | 6 | 6 | 6 | 6 | 6 | 0.002 | 6 | 6 | 6 | 6 | 6 |


Notes:
 Values in red were reported below the detection limit.




Appendix C




Time Series Graphs




Appendix C Time Series Graphs































































































































































































Appendix D

Mann-Kendall Statistical Analysis


Appendix D Mann-Kendall Statistical Analysis

GSI MANN-KENDALL TOOLKIT

for Constituent Trend Analysis

Evaluation Date: **13-Jun-22** Job ID: **60676093**
 Facility Name: **Southern Landfill** Constituent: **Faecal Coliforms**
 Conducted By: **AECOM New Zealand Limited** Concentration Units: **cfu/100ml**

| Sampling Point ID: | | 2a | 2b | 103a | 103b | Upstream | Downstream | |
|------------------------------------|---------------|--|------------|------------|----------|----------|------------|--|
| Sampling Event | Sampling Date | FAECAL COLIFORMS CONCENTRATION (cfu/100ml) | | | | | | |
| 1 | 25-Feb-19 | 1 | 1 | 21 | 1 | 110 | 270 | |
| 2 | 27-Mar-19 | 96 | 1 | 2 | 17 | 150 | 230 | |
| 3 | 23-Apr-19 | 12 | 1 | 90 | 62 | 80 | 10000 | |
| 4 | 29-May-19 | 1 | 1 | 26 | 11 | 20 | 58 | |
| 5 | 13-Jun-19 | 1 | 1 | 1 | 4 | 73 | 4 | |
| 6 | 29-Jul-19 | 1 | 1 | 20 | 6 | 220 | 48 | |
| 7 | 30-Aug-19 | 1 | 1 | 1 | 2 | 4 | 16 | |
| 8 | 24-Sep-19 | 1 | 1 | 1 | 2 | 16 | 80 | |
| 9 | 25-Oct-19 | 1 | 1 | 3 | 7 | 24 | 38 | |
| 10 | 8-Nov-19 | 1 | 1 | 1 | 3 | 230 | 230 | |
| 11 | 19-Dec-19 | 4 | 2 | 18 | 110 | 500 | 200 | |
| 12 | 29-Jan-20 | 1 | 1 | 1 | 98 | 260 | 110 | |
| 13 | 28-Feb-20 | 1 | 1 | 1 | 37 | 2900 | 32 | |
| 14 | 27-Mar-20 | 1 | 1 | 1 | 7 | 100 | 170 | |
| 15 | 17-Apr-20 | 110 | 6 | 7 | 4 | 150 | 12 | |
| 16 | 21-May-20 | 1 | 1 | 7 | 12 | 340 | 400 | |
| 17 | 26-Jun-20 | 1 | 1 | 16 | 29 | 88 | 210 | |
| 18 | 30-Jul-20 | 1 | 1 | 1 | 4 | 290 | 8 | |
| 19 | 27-Aug-20 | 1 | 1 | 6 | 1 | 28 | 32 | |
| 20 | 28-Sep-20 | 1 | 1 | 54 | 35 | 12 | 320 | |
| 21 | 21-Oct-20 | 2 | 1 | 20 | 5 | 100 | 57 | |
| 22 | 26-Nov-20 | 3 | 1 | 21 | 32 | 88 | 120 | |
| 23 | 18-Dec-20 | 1 | 1 | 12 | 12 | 380 | 170 | |
| 24 | 20-Jan-21 | 7 | 1 | 3 | 8 | 150 | 140 | |
| 25 | 18-Feb-21 | 1 | 1 | 7 | 98 | 77 | 60 | |
| 26 | 18-Mar-21 | 1 | 1 | 1 | 1 | 69 | 31 | |
| 27 | 29-Apr-21 | 33 | 1 | 1 | 1 | 300 | 28 | |
| 28 | 28-May-21 | 5 | 1 | 1 | 2 | 32 | 12 | |
| 29 | 29-Jun-21 | 200 | 1 | 7 | 21 | 40 | 16 | |
| 30 | 29-Jul-21 | 67 | 10 | 350 | 400 | 620 | 2200 | |
| 31 | 27-Aug-21 | 16 | 1 | 56 | 44 | 77 | 96 | |
| 32 | 28-Sep-21 | 200 | 1 | 35 | 27 | 20 | 2100 | |
| 33 | 27-Oct-21 | 66 | 1 | 100 | 4 | 80 | 76 | |
| 34 | 25-Nov-21 | 4 | 8 | 4 | 4 | 240 | 48 | |
| 35 | 23-Dec-21 | 4 | 240 | 8 | 4 | 110 | 800 | |
| 36 | 27-Jan-22 | 130 | 4 | 4 | 4 | 56 | 100 | |
| 37 | 25-Feb-22 | 160 | 4 | 20 | 16 | 28 | 150 | |
| 38 | 25-Mar-22 | 28 | 4 | 8 | 44 | 92 | 1100 | |
| 39 | 27-Apr-22 | 12 | 4 | 240 | 130 | 170 | 4 | |
| 40 | 31-May-22 | 240 | 4 | 240 | 240 | 220 | 240 | |
| Coefficient of Variation: | | 1.82 | 4.77 | 2.11 | 1.94 | 2.14 | 3.23 | |
| Mann-Kendall Statistic (S): | | 318 | 213 | 163 | 110 | 9 | 13 | |
| Confidence Factor: | | >99.9% | 99.4% | 97.1% | 89.7% | 53.7% | 55.6% | |
| Concentration Trend: | | Increasing | Increasing | Increasing | No Trend | No Trend | No Trend | |



- Notes:**
- At least four independent sampling events per well are required for calculating the trend. Methodology is valid for 4 to 40 samples.
 - Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S=0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
 - Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.


DISCLAIMER: The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.
 GSI Environmental Inc., www.gsi-net.com

GSI MANN-KENDALL TOOLKIT

for Constituent Trend Analysis

Evaluation Date: **11-Dec-20** Job ID: **60629483**
 Facility Name: **Southern Landfill** Constituent: **Manganese**
 Conducted By: **AECOM New Zealand** Concentration Units: **g/m3**

| Sampling Point ID: | | 2a | 2b | 103a | 103b | Upstream | Downstream | |
|------------------------------------|---------------|--------------------------------|--------|------------|------------------|----------|------------|--|
| Sampling Event | Sampling Date | MANGANESE CONCENTRATION (g/m3) | | | | | | |
| 1 | 18-Aug-17 | 0.0032 | 0.323 | 0.0136 | 9.66 | 0.0052 | 0.259 | |
| 2 | 21-Sep-17 | 0.0041 | 0.271 | 0.001 | 10.4 | 0.0016 | 0.41 | |
| 3 | 18-Oct-17 | 0.0031 | 0.252 | 0.662 | 5.76 | 0.0006 | 0.345 | |
| 4 | 27-Nov-17 | 0.0067 | 0.217 | 0.0246 | 10.2 | 0.0007 | 0.337 | |
| 5 | 21-Dec-17 | 0.0508 | 0.171 | 0.473 | 10.8 | 0.0005 | 0.294 | |
| 6 | 26-Jan-18 | 0.0308 | 0.403 | 0.224 | 1.89 | 0.0013 | 0.211 | |
| 7 | 27-Feb-18 | 0.645 | 1.43 | 0.0337 | 0.564 | 0.0023 | 0.453 | |
| 8 | 21-Mar-18 | 0.034 | 0.398 | 0.0338 | 1.65 | 0.0015 | 0.208 | |
| 9 | 17-Apr-18 | 0.0371 | 0.275 | 0.147 | 8 | 0.0068 | 0.169 | |
| 10 | 29-May-18 | 0.0328 | 0.273 | 0.0179 | 7.19 | 0.0013 | 0.193 | |
| 11 | 29-Jun-18 | 0.0018 | 0.0059 | 0.0207 | 0.38 | 0.0033 | 0.213 | |
| 12 | 24-Jul-18 | 0.0128 | 0.0018 | 0.0019 | 0.0068 | 0.0086 | 0.961 | |
| 13 | 28-Aug-18 | 0.0271 | 0.266 | 0.0055 | 9.63 | 0.0013 | 0.3 | |
| 14 | 28-Sep-18 | 0.235 | 0.0208 | 0.0014 | 8.87 | 0.0006 | 0.319 | |
| 15 | 30-Oct-18 | 0.0287 | 0.272 | 0.002 | 2.13 | 0.0032 | 0.215 | |
| 16 | 13-Nov-18 | 0.03 | 0.293 | 0.0163 | 6.61 | 0.0008 | 0.694 | |
| 17 | 13-Dec-18 | 0.0267 | 0.244 | 0.004 | 7.25 | 0.0061 | 1.02 | |
| 18 | 10-Jan-19 | 0.0342 | 0.253 | 0.0086 | 10.2 | 0.0053 | 1.11 | |
| 19 | 25-Feb-19 | 0.0299 | 0.404 | 0.0025 | 0.0158 | 0.0048 | 1.05 | |
| 20 | 27-Mar-19 | 0.0345 | 0.322 | 0.579 | 0.0011 | 0.0034 | 1.05 | |
| 21 | 23-Apr-19 | 0.0207 | 0.293 | 0.0012 | 2.68 | 0.0016 | 0.453 | |
| 22 | 29-May-19 | 0.219 | 0.0129 | 0.0061 | 5.04 | 0.0024 | 0.835 | |
| 23 | 13-Jun-19 | 0.0085 | 0.231 | 0.0109 | 8.86 | 0.0045 | 0.822 | |
| 24 | 29-Jul-19 | 0.0065 | 0.251 | 0.0294 | 10.3 | 0.0005 | 0.811 | |
| 25 | 30-Aug-19 | 0.0093 | 0.26 | 0.0388 | 11.4 | 0.001 | 0.977 | |
| 26 | 24-Sep-19 | 0.0058 | 0.224 | 0.0103 | 9.58 | 0.0065 | 0.885 | |
| 27 | 25-Oct-19 | 0.0081 | 0.243 | 0.0094 | 10 | 0.0014 | 0.274 | |
| 28 | 8-Nov-19 | 0.0108 | 0.341 | 0.643 | 11 | 0.0187 | 0.404 | |
| 29 | 19-Dec-19 | 0.0322 | 0.473 | 0.0174 | 3.7 | 0.0021 | 0.147 | |
| 30 | 29-Jan-20 | 0.0081 | 0.403 | 0.0017 | 0.0029 | 0.0013 | 0.314 | |
| 31 | 28-Feb-20 | 0.0097 | 0.37 | 0.0026 | 0.077 | 0.003 | 0.232 | |
| 32 | 27-Mar-20 | 0.0137 | 0.262 | 0.003 | 1.05 | 0.0008 | 0.227 | |
| 33 | 17-Apr-20 | 0.0884 | 0.302 | 0.0022 | 2.52 | 0.0009 | 0.303 | |
| 34 | 21-May-20 | 0.0135 | 0.309 | 0.0013 | 3.89 | 0.0013 | 0.39 | |
| 35 | 26-Jun-20 | 0.0184 | 0.238 | 0.0007 | 5.1 | 0.002 | 0.256 | |
| 36 | 30-Jul-20 | 0.0098 | 0.208 | 1.8 | 0.0013 | 0.0005 | 0.485 | |
| 37 | 27-Aug-20 | 0.0087 | 0.308 | 0.0015 | 2.85 | 0.0006 | 0.392 | |
| 38 | 28-Sep-20 | 0.0167 | 0.228 | 0.002 | 2.5 | 0.0022 | 0.247 | |
| 39 | 21-Oct-20 | 0.0081 | 0.248 | 0.0076 | 3.95 | 0.0012 | 0.319 | |
| 40 | 26-Nov-20 | 0.01 | 0.222 | 0.0005 | 0.286 | 0.0012 | 0.201 | |
| Coefficient of Variation: | | 2.37 | 0.74 | 2.68 | 0.79 | 1.16 | 0.65 | |
| Mann-Kendall Statistic (S): | | -79 | -36 | -223 | -137 | -75 | -7 | |
| Confidence Factor: | | 81.7% | 65.7% | 99.6% | 94.4% | 80.5% | 52.8% | |
| Concentration Trend: | | No Trend | Stable | Decreasing | Prob. Decreasing | No Trend | Stable | |



- Notes:**
- At least four independent sampling events per well are required for calculating the trend. Methodology is valid for 4 to 40 samples.
 - Confidence in Trend = Confidence (in percent) that constituent concentration is increasing (S>0) or decreasing (S<0): >95% = Increasing or Decreasing; ≥ 90% = Probably Increasing or Probably Decreasing; < 90% and S>0 = No Trend; < 90%, S≤0, and COV ≥ 1 = No Trend; < 90% and COV < 1 = Stable.
 - Methodology based on "MAROS: A Decision Support System for Optimizing Monitoring Plans", J.J. Aziz, M. Ling, H.S. Rifai, C.J. Newell, and J.R. Gonzales, *Ground Water*, 41(3):355-367, 2003.

DISCLAIMER: The GSI Mann-Kendall Toolkit is available "as is". Considerable care has been exercised in preparing this software product; however, no party, including without limitation GSI Environmental Inc., makes any representation or warranty regarding the accuracy, correctness, or completeness of the information contained herein, and no such party shall be liable for any direct, indirect, consequential, incidental or other damages resulting from the use of this product or the information contained herein. Information in this publication is subject to change without notice. GSI Environmental Inc., disclaims any responsibility or obligation to update the information contained herein.